



**BIDS AND AWARDS COMMITTEE FOR GOOD AND SERVICES
BAC4G&S**

Supplemental Bid Bulletin No. 1

SUPPLY AND DELIVERY OF TWENTY ONE UNITS BRAND NEW DLSR CAMERAS

Bid Reference No. BAC4G&S-2018-024

After considering the queries, clarifications, recommendations and suggestions, the BAC4G&S hereby decides to include, revise, amend, delete and/or adapt the following provisions:

<u>ITEM NO.</u>	<u>QUERY</u>	<u>BAC4G&S RESPONSE</u>
1	<p>View Finder Eyecup Ef Rubber Frame Ef E-Series Dioptic Adjustment Lenses Eyepiece Extender EP-EX 1511 Magnifier MG-Ef Angle Finder C 32GB Memory Card Camera Strap Camera bag with Compartment</p> <p>In connection with this, may we request to clarify the exact accessories needed, because as per checking if you include the above all accessories it cannot meet the given approved budget</p>	<p>The accessories for the View Finder like E-Series Dioptic Adjustment Lenses, Eyepiece Extender EP-EX 1511, Magnifier MG-Ef, Angle Finder C are not necessarily to be supplied but the following are required: Eyecup Ef, Rubber Frame Ef, 32GB Memory Card, Camera Strap, Camera bag with Compartment</p>

<u>ORIGINAL PROVISION</u>	<u>AMENDED PROVISION</u>
Section VII. Technical Specifications	
<p>Accessories</p> <p>View Finder Eyecup Ef Rubber Frame Ef E-Series Dioptic Adjustment Lenses Eyepiece Extender EP-EX 1511 Magnifier MG-Ef Angle Finder C 32GB Memory Card Camera Strap Camera bag with Compartment</p>	<p><u>Accessories</u></p> <p><u>View Finder:</u> <u>Eyecup Ef</u> <u>Rubber Frame Ef</u> <u>32GB Memory Card</u> <u>Camera Strap</u> <u>Camera bag with Compartment</u></p>

All terms, conditions and instructions to bidders specified in the Bidding Documents inconsistent with this Bid Bulletin are hereby superseded and modified accordingly.

Please use the following forms attached in this Supplemental Bid Bulletin:



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF INFORMATION AND
COMMUNICATIONS TECHNOLOGY

- Revised Technical Specifications as of 15 October 2018

For information and guidance of all concerned.

Issued this 15th day of October 2018.

(Original Signed)

JIEZL GABRIELLE G. REOTUTAR

Vice Chairperson, BAC4G&S



**SUPPLY AND DELIVERY OF TWENTY-ONE (21) UNITS BRAND NEW DSLR
CAMERAS**

BAC4G&S-2018-024

**REVISED TECHNICAL SPECIFICATIONS
AS OF 15 OCTOBER 2018**

Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of **ITB** Clause 3.1.(a)(ii) and/or **GCC** Clause 2.1(a)(ii).

ITEM	MINIMUM SPECIFICATIONS	STATEMENT OF COMPLIANCE
	With 18-135 IS STM Lens Kit of same brand	
	Dimensions (W x H x D): 131.0 x 99.9 x 76.2mm	
	Weight (including battery and card): Approx. 532g	
	Key Features	
	24.2MP APS-C Sensor	
	45 Cross-type AF points	
	Dual Pixel: Dual Pixel CMOS AF	
	Wi-Fi: Wi-Fi, NFC and Bluetooth	
	Viewfinder: Optical viewfinder	
	Full HD: Full HD video at 60p	
	FPS: 6fps continuous shooting	
	Vari Angle: Vari-angle touch-screen	
	Image Sensor	
	Type: 22.3mm x 14.9 mm CMOS	
	Effective Pixels: Approx. 24.20 megapixels	
	Total Pixels: Approx. 25.80 megapixels	
	Aspect Ratio: 3:2	
	Low-Pass Filter: Built-in/Fixed	
	Sensor Cleaning: Integrated cleaning system	
	Colour Filter Type: Primary Colour	
	Image Processor	
	Type: DIGIC 7	
	Lens	
	Lens Mount: EF/EF-S	
	Focal Length: Equivalent to 1.6x the focal length of the lens	
	Image Stabilization: Optical Image Stabilizer on compatible lens	
	Movie: In-camera 5-axis Digital IS available.	
	Further stabilization enhancements from lenses compatible with Dynamic IS	
	Focusing	
	Type	
	Via optical viewfinder: TTL-CT-SIR with a CMOS sensor	
	Via liveview on LCD screen: Dual Pixel CMOS AF System. Phase detection pixels built onto imaging sensor	



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF INFORMATION AND
COMMUNICATIONS TECHNOLOGY

	AF System/ Points	
	Via optical viewfinder: 45 cross-type AF points (45 f/5.6 cross-type AF points, 27 f/8 points (9 cross-type), centre point is f/2.8 and f/5.6 dual cross-type)	
	Via liveview on LCD screen: Maximum 49 AF points (Fixed location on 7x7 grid) via camera automatic selection Freely position 1 AF point/ 1 AF Zone (9 points, 3x3 grid) via manual selection	
	AF working range	
	Via optical viewfinder: EV -3 - 18 (at 23 °C & ISO 100) with centre AF point & f/2.8 or brighter lenses	
	Selected AF point display: Indicated by a transmissive LCD in viewfinder and Quick Control screen	
	Predictive AF: Yes	
	AF Lock: Locked when shutter button is pressed half way in One Shot AF mode or AF ON Button is pressed.	
	AF Assist Beam: Intermittent firing of built-in flash (effective range up to 4.0 m) or emitted by optional dedicated Speedlite	
	Manual Focus: Selected on lens	
	Exposure Control	
	Metering modes	
	Via optical viewfinder:	
	7560-pixel RGB+IR metering sensor	
	Metering with the area divided into 63 segments (9 × 7)	
	(1) Evaluative metering (linked to all AF points)	
	(2) Partial metering (approx. 6.0 % of viewfinder)	
	(3) Spot metering (approx. 3.5 % of viewfinder)	
	(4) Center-weighted average metering	
	Via liveview on LCD screen:	
	(1) Evaluative metering (315 zones)	
	(2) Partial metering (approx. 6.0 % of LCD screen)	
	(3) Spot metering (approx. 2.6 % of LCD screen)	
	(4) Center-weighted average metering	
	Metering Range	
	Via optical viewfinder: EV 1-20 (at 23 °C with 50mm f/1.4 lens ISO 100)	
	Via liveview on LCD screen: EV 1-20 (at 23 °C, ISO 100, evaluative metering)	
	AE Lock	
	Auto: In One-shot AF mode with evaluative metering exposure is locked when focus is achieved.	
	Manual: By AE Lock Button in creative zone modes.	
	Exposure Compensation: +/-5 EV in 1/3 or 1/2 stop increments (can be combined with AEB).	
	AEB: 3 shots +/-3 EV 1/3 or 1/2 stop increments	
	ISO Sensitivity:	
	Auto (100-25600), 100-25600 (in 1/3-stop or whole stop increments)	
	Shutter	
	Type: Electronically-controlled focal-plane shutter	
	Speed: 30-1/4000 sec (1/2 or 1/3 stop increments)	
	White Balance	
	Type: Automatic white balance with the imaging sensor	
	Settings:	
	AWB (Ambience priority, White priority), Daylight, Shade, Cloudy, Tungsten light, White Fluorescent light, Flash, Custom, Colour Temperature Setting.	



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF INFORMATION AND
COMMUNICATIONS TECHNOLOGY

	Custom White Balance: Yes, 1 setting can be registered	
	WB Bracketing:	
	+/-3 levels in single level increments	
	Viewfinder	
	Type: Pentamirror	
	Coverage (Vertical/Horizontal): Approx. 95 %	
	Magnification: Approx. 0.82x	
	Eyepoint: Approx. 19 mm (from eyepiece lens centre)	
	Dioptr Correction: -3 to +1 m-1 (dioptr)	
	Focusing Screen: Fixed (Translucent LCD screen for information overlay)	
	Mirror: Quick-return half mirror	
	Viewfinder Information	
	AF information: AF points, focus confirmation, AF area selection mode	
	Exposure information: Shutter speed, aperture value, ISO speed (always displayed),	
	AE lock, exposure level/compensation, spot metering circle, exposure warning, AEB.	
	Flash information: Flash ready, high-speed sync, FE lock, flash exposure compensation, red eye reduction light.	
	Image information: Card information, maximum burst (1digit display), Highlight tone priority (D+).	
	Composition information: Grid, Electronic level, Aspect Ratio Other information: Warning icon, Flicker Detection	
	Depth of field preview: Yes, with Depth of Field preview button.	
	Eyepiece shutter: On strap	
	LCD Monitor	
	Type: Vari angle touchscreen 7.7 cm (3.0") 3:2 Clear View II TFT, approx. 1040 K sRGB dots	
	Coverage: Approx. 100%	
	Viewing Angle (horizontally/vertically): Approx 170°	
	Coating: Anti smudge	
	Brightness Adjustment: Adjustable to one of seven levels	
	Display Options:	
	(1) Quick Control Screen	
	(2) Camera settings	
	(3) Electronic Level	
	Flash	
	Built-in Flash GN (ISO 100, meters): 12	
	Built-in Flash Coverage: up to 17mm focal length (35mm equivalent: approx. 28mm)	
	Built-in Flash recycle time: Approx. 3 seconds	
	Modes: Auto, Manual flash, Integrated Speedlite Transmitter	
	Red-Eye Correction: Yes - with red-eye reduction lamp	
	X-sync: 1/200 sec	
	Flash Exposure Compensation: +/- 2 EV in 1/2 or 1/3 increments	
	Flash Exposure Bracketing: Yes, with compatible External Flash	
	Flash Exposure Lock: Yes	
	Second Curtain Synchronisation: Yes	
	HotShoe/ PC terminal: Yes/ No	
	External Flash Compatibility: E-TTL II with EX series Speedlites, wireless optical multi-flash support	
	External Flash Control: via camera menu screen	
	Shooting	



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF INFORMATION AND
COMMUNICATIONS TECHNOLOGY

	Modes: Scene Intelligent Auto (Stills and Movie), No Flash, Creative Auto, Portrait, Landscape, Close-up, Sports, SCN (Group Photo, Night Portrait, Handheld Night Scene, HDR Backlight Control, Food, Kids, Candlelight), Creative filters, Program AE, Shutter priority AE, Aperture priority AE, Manual (Stills and Movie)	
	Picture Styles: Auto, Standard, Portrait, Landscape, Fine Detail, Neutral, Faithful, Monochrome, User Defined (x3)	
	Colour Space: sRGB and Adobe RGB	
	Drive modes: Single, Continuous L, Continuous H, Self timer (2s+remote, 10s +remote)	
	Continuous Shooting: Max. Approx. 6fps. (speed maintained until card is full) (JPEG) (with UHS-I card), 27 images (RAW)(with UHS-I card))	
	Live View Mode	
	Coverage: Approx. 100% (horizontally and vertically)	
	Frame Rate: 29.97 fps	
	Focusing: Manual Focus (Magnify the image 5x or 10x at any point on screen) Autofocus: Dual Pixel CMOS AF (Face detection and Tracking AF, FlexiZone-Multi, FlexiZone Single) One-shot AF and Servo AF selectable for Stills and Movie	
	Metering: Real-time evaluative metering with image sensor. Evaluative metering, partial metering, spot metering, center-weighted average metering.	
	Display Options: Grid overlay (x3), Histogram, Electronic level,	
	File Type	
	Still Image Type: JPEG: Fine, Normal (Exif 2.30 [Exif Print] compliant) / Design rule for Camera File system (2.0)	
	RAW: 14bit, Canon original RAW 2nd edition	
	Digital Print Order Format [DPOF] Version 1.1 compliant	
	RAW+JPEG simultaneous recording	
	RAW, RAW + L possible.	
	Movie Type: MP4 (Video: H.264 Intra frame / inter frame, Sound: Linear PCM / AAC, recording level can be manually adjusted by user)	
	Movie Size:	
	1920 x 1080 (59.94, 50 fps) inter-frame	
	1920 x 1080 (29.97, 25, 23.98 fps) inter frame	
	1920 x 1080 (29.97, 25) lite inter-frame	
	1280 x 720 (59.94, 50 fps) inter-frame	
	1280 x 720 (29.97, 25) lite inter-frame	
	640 x 480 (29.97, 25) inter-frame	
	640 x 480 (29.97, 25) lite interframe	
	Movie Length: Max duration 29min 59sec, Max file size 4GB (If file size exceeds 4GB a new file will be created automatically)	
	Folders: New folders can be manually created and selected	
	File Numbering:	
	(1) Consecutive numbering	
	(2) Auto reset	
	(3) Manual reset	
	Other Features	
	Custom Functions:	
	15 Custom Functions	
	Metadata Tag:	
	User copyright information (can be set in camera)	



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF INFORMATION AND
COMMUNICATIONS TECHNOLOGY

	Image rating (0-5 stars)	
	LCD Panel / Illumination:	
	Yes / Yes	
	Intelligent Orientation Sensor:	
	Yes	
	Playback zoom:	
	1.5x - 10x	
	Display Formats:	
	(1) Single image with information (2 levels)	
	(2) Single image	
	(3) 4 image index	
	(4) 9 image index	
	(5) 36 image index	
	(6) 100 image index	
	(7) Jump Display	
	Slide Show:	
	Choose images with Image Search	
	Playback time: 1/2/3/5/10/20 seconds	
	Repeat: On/Off	
	Background music: On/Off	
	Transition effect: Off, Slide in 1, Slide in 2, Fade 1, Fade 2, Fade 3	
	Histogram	
	Brightness: Yes	
	RGB: Yes	
	Highlight Alert: Yes	
	Image Erase/Protection	
	Erase: Select image, select range, all images in folder, all images on a card, all found images (during image search)	
	Protection: Single image, select range, all images in folder, all images on a card, all found images (during image search)	
	Menu Categories:	
	(1) Shooting menu (x5)	
	(2) Playback menu (x3)	
	(3) Setup menu (x4)	
	(4) Display Options menu	
	(5) My Menu	
	Menu Languages:	
	25 Languages including English	
	Firmware Update: Update possible by the user.	
	Computer Interface: Hi-Speed USB	
	Other: Video output (PAL/ NTSC) (integrated with USB terminal), HDMI mini output (HDMI-CEC compatible), External microphone (3.5mm Stereo mini jack)	
	Storage	
	Type: SD, SDHC, SDXC (UHS Speed Class 1 compatible)	
	Supported Operating System	
	PC & Macintosh	
	Windows 10 / 8.1 / 8 / 7 (With Microsoft .NET Framework 4.5 is installed)	
	Mac OS X 10.9 / 10.10 / 10.11 / 10.12	
	Software	
	Image Processing: Digital Photo Professional 4 (RAW Image Processing)	
	Other:	



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF INFORMATION AND
COMMUNICATIONS TECHNOLOGY

	Picture Style Editor Camera Connect app available on iOS and Android devices	
	Power Source	
	Batteries: 1 x Rechargeable Li-ion Battery	
	Battery Indicator: 4 levels	
	Power saving:	
	Power turns off after 10/30 (10 sec viewfinder/30 sec live view, functions, image playback etc) sec, 30 sec, 1, 2, 4, 8, or 15 mins.	
	Power Supply & Battery Chargers: AC Adapter, DC coupler, Battery charger	
	Accessories	
	Viewfinder	
	Eyecup Ef	
	Rubber Frame Ef	
	32 Gb Memory	
	Camera Strap	
	Camera Bag with compartment	
	Wireless File Transmitter	
	Built in Wi-Fi transmission	
	Connectivity to Smart devices is possible with Android version 4.0-4.4/5.0-5.1 or iOS7.1/8-8.3.	
	NFC connectivity is possible only with compatible Android devices	
	Bluetooth® (Specification version 4.1, Bluetooth low energy technology)	
	Lenses: All EF and EF-S lenses	
	Flash:	
	Speedlites (90EX, 220EX, 270EX, 270EX II, 320EX, 420EX, 430EX, 430EX II, 430EXIII-RT, 550EX, 580EX, 580EX II, 600EX, 600EX-RT, Macro-Ring-Lite, MR-14EX, Macro Twin Lite MT 24EX, Speedlite Transmitter ST-E2, Speedlite Transmitter ST-E3-RT)	
	Remote Controller/ Switch: Remote Switch RS-60E3, Remote Controller RC-6, Remote Controller BR-E1	
	Others:	
	Product offered must be International known brand and widely distributed locally.	

Name of Company

Signature Over Printed Name
Of Authorized Representative

Date



DICT BIDS AND AWARDS COMMITTEE REVISED CHECKLIST OF REQUIREMENTS FOR BIDDERS AS OF 15 OCTOBER 2018

Name of Company : _____
**SUPPLY AND DELIVERY OF TWENTY-ONE (21) UNITS BRAND NEW DSLR CAMERAS
BAC4G&S-2018-024**

Ref. No.	Particulars	
ENVELOPE 1: ELIGIBILITY AND TECHNICAL DOCUMENTS		
ELIGIBILITY DOCUMENTS		
CLASS "A" DOCUMENTS		
12.1	(a.1.) ELIGIBILITY DOCUMENTS	
	i. Registration Certificate from the Securities and Exchange Commission (SEC) for corporations, Department of Trade and Industry (DTI) for sole proprietorship, or from Cooperative Development Authority (CDA) for cooperatives	
	ii. Valid and Current Business/Mayor's Permit issued by the city or municipality where the principal place of business of the prospective bidder is located OR the equivalent document for Exclusive Economic Zones or Areas; In cases of recently expired Mayor's / Business Permits, said permit shall be submitted together with the official receipt as proof that the bidder has applied for renewal with the period prescribed by the concerned local government units, provided that the renewed permit shall be submitted as a post-qualification requirement.	
	iii. Valid and Current Tax Clearance issued by Philippines' Bureau of Internal Revenue (BIR) Accounts Receivable Monitoring Division per Executive Order 398, Series of 2005;	
	iv. Copy of each of the following Audited Financial Statements for 2017 and 2016 (in comparative format or separate reports): a. Independent Auditor's Report; b. Balance Sheet (Statement of Financial Position); and c. Income Statement (Statement of Comprehensive Income)	
	OR Submission of valid and current PHILGEPS Certificate of Registration and Membership (Platinum Registration) together with Annex A in lieu of (Items i., ii., iii., iv.) Eligibility Documents. Note: Bidder must ensure that all Class "A" Eligibility Documents are valid and current at the time of submission of PHILGEPS Certificate of Registration and Membership (Platinum Registration). In case any of the submitted Eligibility Documents are not valid and current at the time of submission of Platinum Registration, bidders are required to submit the valid and current documents together with the Platinum Registration. In case the bidder opt to submit their Class "A" Documents, the Certificate of PhilGEPS Registration (Platinum Membership) shall remain as post-qualification requirement to be	



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF INFORMATION AND
COMMUNICATIONS TECHNOLOGY

	submitted in accordance with Section 34.2 of the 2016 Revised IRR of RA9184. "GPPB Circular 07-2017 dated 31 July 2017".	
	v. Statement of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (Annex I)	
	vi. Statement of Completed Single Largest Contract within the last three (3) years from the date of submission and receipt of bids equivalent to at least fifty percent (50%) of the ABC (Annex I-A) .	
	vii. Duly signed Net Financial Contracting Capacity Computation (NFCC)* per Annex II , in accordance with ITB Clause 5.5 or a committed Line of Credit equivalent to at least ten percent (10%) of the ABC from a universal or commercial bank *NFCC = [(Current Assets minus Current Liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract to be bid. Notes: a) The values of the bidder's current assets and current liabilities shall be based on the data submitted to BIR through its Electronic Filing and Payment System. b) Value of all outstanding or uncompleted contracts refers those listed in Annex-I. c) The detailed computation using the required formula must be shown as provided above. d) The NFCC computation must at least be equal to the total ABC of the project.	
CLASS "B" DOCUMENTS (FOR JOINT VENTURE)		
	i. For Joint Ventures, Bidder to submit either: 1. Copy of the JOINT VENTURE AGREEMENT (JVA) in case the joint venture is already in existence, or 2. Copy of Protocol / Undertaking of Agreement to Enter into Joint Venture signed by all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. (Annex III) <u>The JVA or the Protocol/Undertaking of Agreement to Enter into Joint Venture (Annex III) must include/specify the company/partner and the name of the office designated as authorized representative of the Joint Venture.</u> For Joint Venture, the following documents must likewise be submitted by each partner: • PhilGEPS Certificate of Registration and Membership in accordance with Section 8.5.2 of the IRR, except for foreign bidders participating in the procurement by a Philippine Foreign Service Office or Post, which shall submit their eligibility documents under Section 23.1 of the IRR, provided, that the winning bidder shall register with the PhilGEPS in accordance with section 37.1.4 of the IRR.	
	For item (ii) to (iv) of the required eligibility documents, submission by any of the Joint Venture partner constitutes compliance.	
TECHNICAL DOCUMENTS		
12.1 (b)(i)	Bid security shall be issued in favor of the DEPARTMENT OF INFORMATION AND COMMUNICATIONS TECHNOLOGY (DICT) valid at least one hundred twenty (120) days after date of bid opening in any of the following forms:	



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF INFORMATION AND
COMMUNICATIONS TECHNOLOGY

	<p>a) BID SECURING DECLARATION per Annex IV; or</p> <p>b) Cashier's / Manager's Check equivalent to at least 2% of ABC issued by an Universal or Commercial Bank.</p> <p>c) Bank Draft / Guarantee or Irrevocable Letter of Credit issued by a Universal or Commercial Bank equivalent to at least 2% of the ABC: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank</p> <p>d) Surety Bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security equivalent to at least 70,866.67</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">Description</td> <td style="text-align: center;">SUPPLY AND DELIVERY OF TWENTY-ONE (21) UNITS BRAND NEW DSLR CAMERAS</td> </tr> <tr> <td colspan="2" style="text-align: center;">Qty</td> <td style="text-align: center;">1 lot</td> </tr> <tr> <td colspan="2" style="text-align: center;">Total ABC (PhP) (VAT Inclusive)</td> <td style="text-align: center;">1,417,333.40</td> </tr> <tr> <td rowspan="4" style="text-align: center; vertical-align: middle;">BID SECURITY</td> <td style="text-align: center;">Cashier's / Manager's Check equivalent to at least 28,346.67 (PhP)</td> <td style="text-align: center;">28,346.67</td> </tr> <tr> <td style="text-align: center;">Bank Draft / Guarantee or Irrevocable Letter of Credit equivalent to at least 2 % of the ABC (PhP)</td> <td></td> </tr> <tr> <td style="text-align: center;">Surety Bond equivalent to at least 70,866.67 (PhP)</td> <td style="text-align: center;">70,866.67</td> </tr> <tr> <td style="text-align: center;">Bid Securing Declaration</td> <td style="text-align: center;">No required percentage</td> </tr> </table>	Description		SUPPLY AND DELIVERY OF TWENTY-ONE (21) UNITS BRAND NEW DSLR CAMERAS	Qty		1 lot	Total ABC (PhP) (VAT Inclusive)		1,417,333.40	BID SECURITY	Cashier's / Manager's Check equivalent to at least 28,346.67 (PhP)	28,346.67	Bank Draft / Guarantee or Irrevocable Letter of Credit equivalent to at least 2 % of the ABC (PhP)		Surety Bond equivalent to at least 70,866.67 (PhP)	70,866.67	Bid Securing Declaration	No required percentage	
Description		SUPPLY AND DELIVERY OF TWENTY-ONE (21) UNITS BRAND NEW DSLR CAMERAS																		
Qty		1 lot																		
Total ABC (PhP) (VAT Inclusive)		1,417,333.40																		
BID SECURITY	Cashier's / Manager's Check equivalent to at least 28,346.67 (PhP)	28,346.67																		
	Bank Draft / Guarantee or Irrevocable Letter of Credit equivalent to at least 2 % of the ABC (PhP)																			
	Surety Bond equivalent to at least 70,866.67 (PhP)	70,866.67																		
	Bid Securing Declaration	No required percentage																		
12.1 (b)(ii)	<p>Proof of Authority of the Bidder's authorized representative/s:</p> <p>a) FOR SOLE PROPRIETORSHIP (IF OWNER OPTS TO APPOINT A REPRESENTATIVE): Duly notarized Special Power of Attorney</p> <p>b) FOR CORPORATIONS, COOPERATIVE OR THE MEMBERS OF THE JOINT VENTURE: Duly notarized Secretary's Certificate evidencing the authority of the designated representative/s.</p> <p>c) IN THE CASE OF UNINCORPORATED JOINT VENTURE: Each member shall submit a separate Special Power of Attorney and/or Secretary's Certificate evidencing the authority of the designated representative/s.</p>																			
12.1 (b)(iii)	<p>Omnibus Sworn Statements using the form prescribed. (Annex V)</p> <p>a) Authority of the designated representative</p> <p>b) Non-inclusion of blacklist or under suspension status</p> <p>c) Authenticity of Submitted Documents</p> <p>d) Authority to validate Submitted Documents</p> <p>e) Disclosure of Relations</p> <p>f) Compliance with existing labor laws and standards</p> <p>g) Bidder's Responsibility</p> <p>h) Did not pay any form of consideration</p> <p>i) Company Official Contact Reference</p>																			
12.1 (b)(iv)	Company Profile (Annex VI) . Company printed brochure may be included																			
12.1 (b)(v)	Vicinity / Location of Bidder's principal place of business																			
12.1 (b)(vi)	Certificate of Performance Evaluation (Annex VII) showing a rating at least Satisfactory issued by the Bidder's Single Largest Completed Contract Client stated in the submitted Annex I-A;																			
12.1 (b)(vii)	Completed and signed Technical Bid Form (Annex VIII)																			
12.1 (b)(viii)	Brochure (original or internet download) / Technical Data Sheet or equivalent document																			



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF INFORMATION AND
COMMUNICATIONS TECHNOLOGY

12.1 (b)(ix)	Valid and Current Certificate of Distributorship / Dealership/ Resellership of the following product being offered, issued by the principal or manufacturer of the product (if Bidder is not the manufacturer). If not issued by manufacturer, must also submit certification / document linking bidder to the manufacturer									
12.1 (b)(x)	Valid and current ISO 9001 Quality Management System Certificate issued to the manufacturer be an Independent Certifying body;									
12.1 (b)(xii)	Compliance with the Schedule of Requirements as per Section VI									
12.1 (b)(xiii)	Compliance with the Revised Technical Specifications as of 15 October 2018 as per Section VII									
ENVELOPE 2: FINANCIAL DOCUMENTS										
13.1 (a)	Completed and signed Financial Bid Form. Bidder must use, accomplish and submit Financial Bid Form hereto attached Annex IX .									
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 60%;">Description</th> <th style="width: 10%;">QTY</th> <th style="width: 30%;">ABC P (VAT Inclusive)</th> </tr> <tr> <td></td> <td></td> <th style="text-align: center;">Total</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">SUPPLY AND DELIVERY OF TWENTY-ONE (21) UNITS BRAND NEW DSLR CAMERAS</td> <td style="text-align: center;">1 lot</td> <td style="text-align: center;">1,417,333.40</td> </tr> </tbody> </table> <p>The ABC is inclusive of VAT. Any proposal with a financial component exceeding the ABC shall not be accepted. Further, the sum of bid for each item indicated in the Detailed Financial Breakdown per Annex X must be equal to the signed and submitted Financial Bid Form per Annex VII.</p>	Description	QTY	ABC P (VAT Inclusive)			Total	SUPPLY AND DELIVERY OF TWENTY-ONE (21) UNITS BRAND NEW DSLR CAMERAS	1 lot	1,417,333.40
Description	QTY	ABC P (VAT Inclusive)								
		Total								
SUPPLY AND DELIVERY OF TWENTY-ONE (21) UNITS BRAND NEW DSLR CAMERAS	1 lot	1,417,333.40								
13.1 (a)	Detailed Financial Breakdown per Annex X									
15.4(a) (i) & 15.4(b) (ii)	Completed "For Goods Offered from Abroad" and/or "For Goods Offered From Within the Philippine" Forms per Annex XI-A and Annex XI-B, whichever is applicable .									
13.1 (b)	If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a Certification from the DTI, SEC or CDA to be enclosed pursuant to the Revised IRR of R.A. 9184.									
NOTE:	In case of inconsistency between the Checklist of Requirements for Bidders and the provisions in the Instruction to Bidders/Bid Data Sheet, the Instruction to Bidders/Bid Data Sheet shall prevail									