



**BIDS AND AWARDS COMMITTEE FOR FREE WI-FI INTERNET ACCESS IN PUBLIC PLACES PROJECT (BAC4FREEWIFI)**

**Supplemental Bid Bulletin No. 1**

**Procurement of Two (2) Lots of System Management and Access Services**

**BAC4FREEWIFI-2016-05-008**

After considering the queries, clarifications, recommendations and suggestions, the BAC4FREEWIFI hereby decides to include, revise, amend, delete and/or adapt the following provisions:

<b><u>ORIGINAL PROVISION</u></b>	<b><u>AMENDED PROVISION</u></b>
<b>Section III. Bid Data Sheet 29.2</b>	
<p>d) Official Receipts (ORs) or Certificate of End User's Acceptance Statement relative to submitted Annex I-A (Statement of Completed Single Largest Contract of Similar Nature within the last six (6) years from the date of submission and receipt of bids or Statement of At Least Two (2) Completed Contracts of Similar Nature Within the Last Five Years From the Date of Submission and Receipt of Bids, the Aggregate of Which Should be Equivalent to at least Fifty Percent (50%) of the ABC, and the Largest of These Similar Contract Must be Equivalent to at Least Twenty Five Percent (25%) of the ABC for this Project);</p>	<p>d) Official Receipts (ORs) or Certificate of End User's Acceptance Statement relative to submitted <b>Annex I-A</b> (Statement of Completed Single Largest Contract of Similar Nature within the last six (6) years from the date of submission and receipt of bids or Statement of At Least Two (2) Completed Contracts of Similar Nature <b><u>within the last six (6) years</u></b> From the Date of Submission and Receipt of Bids, the Aggregate of Which Should be Equivalent to at least Fifty Percent (50%) of the ABC of the lot being bid, and the Largest of These Similar Contract Must be Equivalent to at Least Twenty Five Percent (25%) of the ABC for the being bid);</p>
<b>Section III. Bid Data Sheet 29.2</b>	
<p>No stipulation</p>	<p>3. Present original copy of the following: <b><u>f. To ensure checks and balances shall be in place, a BIDDER shall submit a sworn affidavit that it has no interest and/or participation, direct or indirect, in any of the connectivity services provisioned under the PROJECT, including but not limited to, IPTI, IPTD, IPTM, which the SERVICE shall be tasked to monitor and enforce the SLR agreements of those services.</u></b></p>



<b><u>ORIGINAL PROVISION</u></b>	<b><u>AMENDED PROVISION</u></b>
No Stipulation	3. Present original copy of the following: <b><u>g. Fault Escalation Procedure to ICT OFFICE in case of downtime, and make available specific name(s), e-mail address(es), landline(s) and mobile number(s).</u></b>
<b>Section VII. Technical Specifications Lot 1 – Procurement of System Management and Access 1 Part 2 (SMA1B) Service</b>	
8.3.1.12. Must be provided by among those tagged as a “LEADER” or “VISIONARY” in the 2015 Gartner Magic Quadrant Report for Wired and Wireless LAN Access Architecture ( <a href="https://www.gartner.com/doc/reprints?id=1-2MA78JC&amp;ct=150901">https://www.gartner.com/doc/reprints?id=1-2MA78JC&amp;ct=150901</a> )	<b><u>This stipulation is deleted.</u></b>
<b>Section VII. Technical Specifications Lot 2 – Procurement of System Management and Access 2 (SMA2) Service</b>	
1.3. The SERVICE shall be distinctly provisioned to increase system diversity with the aim of improving the overall reliability. The SERVICE shall be necessarily interoperable and compatible with the SMA1 Service at no cost to ICT Office; Interoperability Requirements such as but not limited to: 1. Authentication Authorization and Accounting (AAA) Service; and 2.DNS and other necessary services.	<b><u>1.3. The SERVICE shall be necessarily interoperable and compatible with the SMA1 Service at no cost to ICT Office; Interoperability, as defined by the ability of two or more networks, systems, devices, applications or components to exchange information between them and to use the information so exchanged, requires such as but not limited to: 1. synchronization of deployed Authentication Authorization and Accounting (AAA) services including implementation of SMA1 defined attributes, 2. IPTI and IPTD routing and interface standards/protocols, and 3. DNS and other necessary services.</u></b>
<b>Section VII. Technical Specifications Lot 2 – Procurement of System Management and Access 2 (SMA2) Service</b>	
11.4.1.10. Must be provided by among those tagged as a “LEADER” or “VISIONARY” in the 2015 Gartner Magic Quadrant Report for Wired and Wireless LAN Access Architecture ( <a href="https://www.gartner.com/doc/reprints?id=1-2MA78JC&amp;ct=150901">https://www.gartner.com/doc/reprints?id=1-2MA78JC&amp;ct=150901</a> )	<b><u>This stipulation is deleted.</u></b>



ORIGINAL PROVISION	AMENDED PROVISION
<b>Section VIII. Bidding Forms Annex I-A</b>	
<p>STATEMENT OF SINGLE (1) LARGEST COMPLETED CONTRACT OF SIMILAR NATURE WITHIN THE LAST FIVE (5) YEARS FROM DATE OF SUBMISSION AND RECEIPT OF BIDS AMOUNTING TO AT LEAST FIFTY PERCENT (50%) OF THE APPROVED BUDGET FOR THE CONTRACT (ABC) OF THE LOT BEING BID</p> <p>OR</p> <p>STATEMENT OF AT LEAST TWO (2) COMPLETED CONTRACTS OF SIMILAR NATURE WITHIN THE LAST FIVE YEARS FROM THE DATE OF SUBMISSION AND RECEIPT OF BIDS, THE AGGREGATE OF WHICH SHOULD BE EQUIVALENT TO AT LEAST FIFTY PERCENT (50%) OF THE ABC OF THE LOT BEING BID, AND THE LARGEST OF THESE SIMILAR CONTRACT MUST BE EQUIVALENT TO AT LEAST TWENTY FIVE PERCENT (25%) OF THE ABC OF THE LOT BEING BID</p>	<p>STATEMENT OF SINGLE (1) LARGEST COMPLETED CONTRACT OF SIMILAR NATURE WITHIN THE <b>LAST SIX (6) YEARS</b> FROM DATE OF SUBMISSION AND RECEIPT OF BIDS AMOUNTING TO AT LEAST FIFTY PERCENT (50%) OF THE APPROVED BUDGET FOR THE CONTRACT (ABC) OF THE LOT BEING BID</p> <p>OR</p> <p>STATEMENT OF AT LEAST TWO (2) COMPLETED CONTRACTS OF SIMILAR NATURE WITHIN THE <b>LAST SIX (6) YEARS</b> FROM THE DATE OF SUBMISSION AND RECEIPT OF BIDS, THE AGGREGATE OF WHICH SHOULD BE EQUIVALENT TO AT LEAST FIFTY PERCENT (50%) OF THE ABC OF THE LOT BEING BID, AND THE LARGEST OF THESE SIMILAR CONTRACTS MUST BE EQUIVALENT TO AT LEAST TWENTY FIVE PERCENT (25%) OF THE ABC OF THE LOT BEING BID</p>
<b>SMA1B Annex D.1.</b>	
<p>Locality = San Francisco Cebu Mandatory Sites = 1 Required Tier 2 Bandwidth Sites (Non-Mandatory Sites) = 7</p>	<p>Locality = San Francisco Cebu Mandatory Sites = <b>5</b> Required Tier 2 Bandwidth Sites (Non-Mandatory Sites) = <b>3</b></p>
<b>SMA1B Annex D.2.</b>	
<p>No Stipulation</p>	<p><b>Added the following Site Code and Name for Locality San Francisco Cebu</b></p> <p>L4-1AC03 San Francisco National High School L4-1AC04 San Francisco Central School L4-1AC05 Cebu Technological University (San Francisco Campus) L4-1AC06 San Francisco DRRMO</p>
<b>SMA 2 Annex D.4.1</b>	
<p>Locality = Davao City (POP) Mandatory Sites = 0 Required Tier 2 Bandwidth Sites (Non-Mandatory Sites) = 2</p>	<p>Locality = Davao City (POP) Mandatory Sites = <b>7</b> Required Tier 2 Bandwidth Sites (Non-Mandatory Sites) = <b>0</b></p>



<b><u>ORIGINAL PROVISION</u></b>	<b><u>AMENDED PROVISION</u></b>
Locality = Cagayan De Oro City Required Tier 2 Bandwidth Sites (Non-Mandatory Sites) = 13  Locality = Lipa City Required Tier 2 Bandwidth Sites (Non-Mandatory Sites) = 10	Locality = Cagayan De Oro City Required Tier 2 Bandwidth Sites (Non-Mandatory Sites) = <b><u>10</u></b>  Locality = Lipa City Required Tier 2 Bandwidth Sites (Non-Mandatory Sites) = <b><u>8</u></b>
<b>SMA 2 Annex D.4.2</b>	
No Stipulation	<b><u>Added the following Site Code and Name for Locality Davao City:</u></b>  L4-1A99A Ramon Magsaysay Park L4-1A99B Osmena Park L4-1A99C Rizal Park L4-1A99D Davao City Overland Transport Terminal L4-1A997 Southern Philippine Medical Center L4-1A998 AFP Hospital L4-1AC02 Municipal Hall of Davao
<b>SMA 2 Annex D.4.3</b>	
L4-1A99A Ramon Magsaysay Park L4-1A99B Osmena Park L4-1A99C Rizal Park L4-1A99D Davao City Overland Transport Terminal L4-1A997 Southern Philippine Medical Center L4-1A998 AFP Hospital	<b><u>Removed the following Site Code and Name for Locality Davao City</u></b>

All terms, conditions and instructions to bidders specified in the Bidding Documents inconsistent with this Bid Bulletin are hereby superseded and modified accordingly.

Please use the following forms attached in this Supplemental Bid Bulletin:

- Revised Technical Specifications as of 1 June 2016 – Lot 1 – Procurement of System Management and Access 1 Part 2 (SMA1B) Service
- Revised Technical Specifications as of 1 June 2016 - Lot 2 – Procurement of System Management and Access 2 (SMA2) Service
- Revised Annex I-A as of 1 June 2016 Statement Of Single (1) Largest Completed Contract Of Similar Nature Within The Last Six (6) Years From Date Of Submission And Receipt Of Bids Amounting To At Least Fifty Percent (50%) Of The Approved Budget For

The Contract (ABC) Of The Lot Being Bid OR Statement Of At Least Two (2) Completed Contracts Of Similar Nature Within The Last Six (6) Years From The Date Of Submission And Receipt Of Bids, The Aggregate Of Which Should Be Equivalent To At Least Fifty Percent (50%) Of The ABC of the Lot Being Bid, And The Largest Of These Similar Contracts Must Be Equivalent To At Least Twenty Five Percent (25%) Of The ABC Of The Lot Being Bid

The following Annexes will be uploaded in the ICT Office Website together with this Supplemental Bid Bulletin No. 1:

- Revised SMA1B Annex D.1.
- Revised SMA1B Annex D.2.
- Revised SMA1B Annex D.3.
- Revised SMA2 Annex D.4.1.
- Revised SMA2 Annex D.4.2
- Revised SMA2 Annex D.4.3.

For information and guidance of all concerned.

Issued this 2<sup>nd</sup> day of June 2016.

**MARIA LOURDES P. AQUILIZAN**  
Vice Chairperson, BAC4FREEWIFI



## Revised Annex I-A as of 2 June 2016

(Bidder's Company Letterhead)

### Procurement of Two (2) Lots of System Management and Access Services BAC4FREEWIFI-2016-05-008

**STATEMENT OF SINGLE (1) LARGEST COMPLETED CONTRACT OF SIMILAR NATURE WITHIN THE LAST SIX (6) YEARS FROM DATE OF SUBMISSION AND RECEIPT OF BIDS AMOUNTING TO AT LEAST FIFTY PERCENT (50%) OF THE APPROVED BUDGET FOR THE CONTRACT (ABC) OF THE LOT BEING BID**

**OR**

**STATEMENT OF AT LEAST TWO (2) COMPLETED CONTRACTS OF SIMILAR NATURE WITHIN THE SIX (6) YEARS FROM THE DATE OF SUBMISSION AND RECEIPT OF BIDS, THE AGGREGATE OF WHICH SHOULD BE EQUIVALENT TO AT LEAST FIFTY PERCENT (50%) OF THE ABC OF THE LOT BEING BID, AND THE LARGEST OF THESE SIMILAR CONTRACT MUST BE EQUIVALENT TO AT LEAST TWENTY FIVE PERCENT (25%) OF THE ABC OF THE LOT BEING BID**

Please Check Item Being Bid	Lot No.	Description	Qty	ABC (PhP)
<input type="checkbox"/>	1	Procurement of System Management and Access 1 Part 2 (SMA1B) Service	1 Lot	243,304,070.00
<input type="checkbox"/>	2	Procurement of System Management and Access 2 (SMA2) Service	1 Lot	375,538,779.00

Name of Client	Name of Contract	Date of the Contract	Kinds of Goods	Value of Contract	Date of Completion	Official Receipt No. & Date OR End User's Acceptance Date

CERTIFIED CORRECT:

\_\_\_\_\_  
Name & Signature of Authorized Representative

\_\_\_\_\_  
Position

\_\_\_\_\_  
Date

**Instructions:**

1. Cut Off Date as of: (i) Up to the day before the deadline of submission of bids.
2. In the column under "Dates", indicate the dates of Delivery/End-User's Acceptance and Official Receipt No.
3. Name of Contract column indicates the Nature/Scope of the Contract for the ICT Office to determine the relevance of the entry with the Procurement at hand.

(Bidder's Company Letterhead)

**Procurement of Two (2) Lots of System Management and Access Services**

**BAC4FREEWIFI-2016-05-008**

**REVISED TECHNICAL SPECIFICATIONS  
AS OF 2 JUNE 2016**

**INSTRUCTION TO THE SUPPLIER:** Indicate **"COMPLY"** per line number under **Bidder's Statement of Compliance** if Bidder can meet the technical specifications and project requirements. **DO NOT LEAVE ANY BLANK.** A **"YES"** or **"NO"** ENTRY **WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED"**.

**Lot 1: Procurement of System Management and Access 1 Part 2 (SMA1B) Services**

MINIMUM SPECIFICATIONS	STATEMENT OF COMPLIANCE
<b>1. GENERAL DESCRIPTION</b>	
1.1. The Free Wi-Fi Internet Access in Public Places project, the "PROJECT", of the ICT Office aims to provide as a free public service Wi-Fi Internet access at select public places across the country. From 2016, the PROJECT is expanded in scope and now aims to cover municipalities in <u>all</u> Income Classes;	
1.2. This tender is for the supply of the Site Access (Wi-Fi) Component Managed Services at various locations for the "Phase 1 System Management & Access Part 2 Service (SMA1B)".	
1.3. The SERVICE shall be distinctly provisioned but necessarily interoperable and compatible with the existing SMA1 Service	
1.3.1. A Proof of Concept/Live Demonstration shall be conducted with the S/LCB during Post Qualification to validate that the offered Access Point is interoperable and compatible with the existing SMA1 Service. Guidelines for the conduct of Proof of Concept/Live Demonstration is attached as Annex E	



1.3.2.	It is understood that inter-operating costs shall be for the account of the Bidder. The Bidder shall undertake to enter into an agreement with SMA1 Service Provider.			
1.4.	This tender is composed of <b>one (1) lot</b> for itemized subscriptions to CMS instances;			
1.5.	To aid BIDDERS, the following annexes are provided:			
1.5.1.	ANNEX A: System Service Stack Overview			
1.5.2.	ANNEX B.1: System Abstract Link Diagram			
1.5.3.	ANNEX B.2: Typical Link Diagram for Sites in Metro Manila			
1.5.4.	ANNEX B.3: Typical Link Diagram for Site in a PoPs			
1.5.5.	ANNEX C: General Schedule Diagram			
1.5.6.	ANNEX D: Site Access (Wi-Fi) CMS Instances			
1.5.6.1.	Annex D.1 Site Access (Wi-Fi) CMS Instances - Summary			
1.5.6.3.	Annex D.2 Site Access (Wi-Fi) CMS Instances – Mandatory Sites			
1.5.6.5.	Annex D.3 Site Access (Wi-Fi) CMS Instances – Non-Mandatory Sites			
1.5.7.	ANNEX E: Interoperability Test Cases			
1.5.9.	ANNEX F: Sample Captive Portal and Landing Page			
2.	<b>APPROVED BUDGET FOR THE CONTRACT (ABC).</b> The Approved Budget for the Contract (ABC) for service under this tender is <b>PESOS: TWO HUNDRED FORTY THREE MILLION THREE HUNDRED FOUR THOUSAND SEVENTY (PHP243,304,070.00).</b>			
<b>Table 1</b>				
No.	Component Managed Service (CMS)	# CMS Instances	Monthly Service Fee (MSF) (PhP)	Sub-Total ABC (12 x MSF) (PhP)
1	Network Operations Management Sub-	1 lot	102,833.33	1,234,000.00

	Service			
2	Site Access (Wi-Fi), User Capacity = 4-50 users	4,937 sites*	2,217.50	131,373,570.00
2*b	Wi-Fi CMS Auxiliary Power Add-On Option, 100W	1,452 sites*	323.33	5,662,800.00
3	Site Access (Wi-Fi), User Capacity = 51- 100 users	14 sites*	1,025.00	172,200.00
4	Site Auxiliary Connectivity Service Add-On Option	9,605 mbps*	<b>varies, please see Table 2</b>	104,861,500.00
Total ABC				<b>243,304,070.0 0</b>

\* Maximum number of instances

2.1 While ICT OFFICE provisioned site connectivity, or that provided by a partner public institution, will in some cases be available, it can be expected that many sites shall not have the necessary connectivity available. At such sites, auxiliary connectivity add-on services shall be required as indicated in Annex D.

**Table 2: Site Auxiliary Connectivity Service Add-On Option**

No.	Wi-Fi CMS Auxiliary Connectivity Add- On Option Concurrent User Capacity	Total mbps per Income Class	Monthly Service Fee, PhP (MSF), per mbps	Sub-Total ABC, PhP (12 x MSF)
5*a	Class 1 City Connectivity	7	925.00	77,700.00
5*b	Class 2 City	14	975.00	163,800.00



	Connectivity				
5*c	Class 3 City Connectivity	6	1033.33	74,400.00	
5*d	Class 4 City Connectivity	6	1083.33	78,000.00	
5*e	Class 3 Municipality Connectivity	4,042	866.67	42,036,800.00	
5*f	Class 4 Municipality Connectivity	3,336	916.67	36,696,000.00	
5*e	Class 5 Municipality Connectivity	2,144	975.00	25,084,800.00	
5*f	Class 6 Municipality Connectivity	50	1083.33	650,000.00	
Sub Total ABC				<b>104,861,500.00</b>	
<p>2.2. Some Wi-Fi CMS instances will be located where utility electricity will not be available or will only be intermittently available. At such locations, auxiliary (alternative) power add-on services shall be required as indicated in Annex D and summarized as follows.</p>					
<p>2.3. The above add-on service options should not be considered as separate sub-services but rather as integral to the corresponding mPoP or Wi-Fi CMS instances specified. The ICT OFFICE reserves the right to decline deployment of an add-on service option in case it is later determined that an option is no longer necessary or to deploy the add-on option at another site where it is found necessary. In case of the former, the auxiliary (alternative) power add-on monthly fee shall not be paid.</p>					
<p>2.4. BIDDERS should note that the ABC has been computed with the assumption that the ICT OFFICE would be considered at most as the anchor tenant that would only provide "breakeven" revenue. The tender however has been designed so that the provider could share the facilities and services with other tenants, while meeting the ICT OFFICE's requirements under this tender, subject to ICT</p>					



OFFICE's policies and pertinent government rules and regulations.	
2.5. Use of any or all data generated by this Project, shall be subject to the prior written approval of the Head of ICT Office, and other pertinent government rules and regulations.	
2.6. Information shared, transmitted and provided to between the Supplier and ICT Office shall not be disclosed to any third party	
2.7. The captive portal is controlled and its contents determined by the ICT Office. However, the landing page created, administered and owned by the BIDDER through which the monetization aspect of the SERVICE is to be carried out, shall be operated under the following conditions:	
2.7.1. The landing page is private in nature, and for which reason, the BIDDER shall be solely responsible for its contents, and any liability or obligation arising there from is understood to be its own, and ICT Office, its officials, agents and employees shall be free from all such liabilities and claims for damages and/or suits.	
2.7.2. BIDDER shall insure that the landing page shall be of such nature, form and design that it shall be of value to the end user or the general public, and any content which shall be offensive or contrary to law, morals and public policy must not be allowed and the same is strictly prohibited.	
2.8. A sample diagram and illustration of the design and ownership of the captive portal and the landing page is attached hereto as Annex F.	
<b>3. PROPOSAL SUBMISSION AND EVALUATION</b>	
3.1. A BIDDER should submit <u>one proposal</u> that 1) satisfies the specifications and requirements given herein; 2) provides a Monthly Service Fee (MSF) value for each CMS and CMS Add-on Option given above; and 3) results in a total <b>BID PRICE</b> , equal to the MSF of each CMS multiplied by the maximum number of instances thereof that does not exceed the <b>ABC</b> ;	
3.2. PROPOSALS shall be submitted using the form provided and shall include the MSF of each CMS listed.	
<b>4. DURATION AND EFFECTIVITY OF CONTRACT(S)</b>	
4.1. CMS instances shall be <u>individually</u> contracted, under its	



<p>Master Agreement, for <b>TWELVE (12) months</b> of service and can be extended while being subjected for government procurement process.</p>	
<p>4.2. A contract for a CMS instance shall start from the issuance of the Certificate of Acceptance and shall remain in effect until such a time that 12 * 365 / 12 days of service shall have been received.</p>	
<p>5. <b>DELIVERY.</b> Mission-critical CMS instances must be delivered in SIXTY (60) days. All Wi-Fi CMS instances shall be delivered according to the following schedule, which is given relative to the receipt of the Notice-To-Proceed (NTP):</p>	
<p>5.1 Within NINETY (90) days, one third (<math>\frac{1}{3}</math>) of all CMS instances;</p>	
<p>5.2 Within ONE HUNDRED TWENTY (120) days, two thirds (<math>\frac{2}{3}</math>) of all CMS instances; and,</p>	
<p>5.3 Within ONE HUNDRED FIFTY (150) days, all CMS instances.</p>	
<p>6. <b>GENERAL REQUIREMENTS</b></p>	
<p>6.1. The SERVICE shall provide for at least 60 million registered users and 120 million registered device IDs, of which 145,000 users/devices can be concurrent at any given time, generating up to 25,000 Mbps of aggregated international and domestic Internet traffic, across more than 7,118 sites through up to 3,000 service providers. The SERVICE shall support the ICT Office’s Central Office, its eight (8) Field Operations Offices (FOO) and its eighty-one (81) FOO Provincial Offices (FOO-PO), and up to 5,000 other partner public institutions and service providers of the PROJECT;</p>	
<p>6.2. The SERVICE shall utilize all the necessary resources as provided by the System and Management Access Part 1 winning bidder. All costs for the interoperability shall be borne by the SERVICE.</p>	
<p>6.3. The SERVICE shall provide management and control access through a Virtual Private Network (VPN) service accessible through the public Internet with a dedicated internal VLAN to all CMS instances at all System Levels;</p>	
<p>6.3.1. VPN access shall use TLS authentication with machine and user digital certificates issued by the National PKI operated by the ICT OFFICE to ensure security and</p>	



	accountability;																			
	6.3.2. VPN service at System Levels 1 and 2 (i.e. Core and PoPs) shall be considered <b>mission-critical</b> .																			
	6.4. The SERVICE shall monitor and provide a proactive solution against																			
	6.4.1. DOS/DDOS Attacks;																			
	6.4.2. Man-in-the-middle Attacks (including but not limited to SSID spoofing);																			
	6.4.3. Malwares; and,																			
	6.4.4. Other malicious threats, working closely with all connectivity providers.																			
	6.4.4.1. The service must be able to provide timely software or firmware updates to mitigate new and emerging threats.																			
	6.5. The SERVICE shall implement a Fair Usage Policy (FUP) that shall regulate user/device service parameters, including speed (bandwidth), data volume, and connection time, that will vary based on the Registration Level of a user/device, and possibly the time-of-day.																			
	6.5.1. An initial Fair Usage Policy (FUP) shall be implemented by imposing limits on the amount of data a user will be allowed as follows:																			
	<table border="1"> <thead> <tr> <th rowspan="2">Level</th> <th rowspan="2">Registration</th> <th colspan="2">Data Allocation</th> </tr> <tr> <th>Daily</th> <th>Monthly</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>Gov't Digital Certificate</td> <td>300 MB</td> <td>3 GB</td> </tr> <tr> <td>2</td> <td>Gov't ID / Passport</td> <td>100 MB</td> <td>2 GB</td> </tr> <tr> <td>1</td> <td>Device ID</td> <td>50 MB</td> <td>1 GB</td> </tr> </tbody> </table>	Level	Registration	Data Allocation		Daily	Monthly	3	Gov't Digital Certificate	300 MB	3 GB	2	Gov't ID / Passport	100 MB	2 GB	1	Device ID	50 MB	1 GB	
Level	Registration			Data Allocation																
		Daily	Monthly																	
3	Gov't Digital Certificate	300 MB	3 GB																	
2	Gov't ID / Passport	100 MB	2 GB																	
1	Device ID	50 MB	1 GB																	
	6.6. These data limits will apply to traffic carried by the Domestic IP Transport (IPTD) Service or the International IP Transport (IPTI) Service of the PROJECT. Data sourced through the GovNet or PREGINET, or from any caches, or from PH OpenIX shall not impact a user's data limit.																			
	6.7. The available bandwidth at a site shall be prioritized corresponding to its Registration Level of each users/device																			

as follows:

Level	Registration	User/Device Traffic Priority
3	Gov't Digital Certificate	High
2	Gov't ID / Passport	Medium
1	Device ID	Low

6.8. All parameter and limit values given should be considered indicative and may be modified by the ICT OFFICE during actual operations.

**7. NETWORK OPERATIONS MANAGEMENT SUB-SERVICE.**

This mission-critical sub-service shall provide web-based real-time multi-user map- and table- based network management services for the entire network, and shall have the following characteristics, capacities and/or capabilities:

7.1 Scope-configurable real-time dashboards and on demand reporting for all activities/traffic across the entire network showing various pertinent Performance Information/Measures/Trends and Fault Management/Tracking, including, but not limited to, compliance to the Service Level Agreement requirements of all PROJECT IP Transport Services;

7.1.1 All metrics must and can be reported on different degrees of granularity such as, but not limited to the following;

- 7.1.1.1 per user
- 7.1.1.2 per access point
- 7.1.1.3 per beneficiary site
- 7.1.1.4 per locality
- 7.1.1.5 per province
- 7.1.1.6 per region
- 7.1.1.7 per POP
- 7.1.1.8 per island group



7.1.1.9	overall network;	
7.1.2	Also includes, but not limited to, success rate of captive portal users (i.e. attempts by end-user devices to associate with the SERVICE's access points and monitor if the end-user device were able to utilize the network and generate traffic); and	
7.1.3	Also includes CPU and memory utilization for all network components.	
7.2	Remote network administration and testing across the entire network with an appropriate configurable multi-user privilege system;	
7.3	Accessible throughout the PROJECT's private IP address space, and the through public Internet through a secure means; and,	
7.4	Uses a cloud-based map service that is also used for public map services (e.g. OpenStreetMap, Google Maps, Bing Maps, etc.) to display network equipment locations specifically access points, with a color coding scheme to indicate access point status.	
7.5	The SERVICE must be able to dump raw data from system and network equipment to a DOST ICTO server in CSV or other delimited text file format.	
7.6	The SERVICE should be able to detect and report in real-time the location of DOS, DDOS, man-in-the-middle (inc. SSID spoof), rogue access points, malware and hacking attempts within the network.	
7.7	The report must specify which specific access point or other network element provided was threatened or affected by the malicious threat and the time it was detected.	
7.8	The SERVICE must be able to notify select group of people via email and/or SMS for changes in configuration, access point and network equipment alarms, downtime and restorations.	
7.9	The notification must have configurable tiers of severity, e.g. critical, major, minor. For example, notifications for minor items will be sent only to staff. However, notifications for major and critical items will be sent to both engineers and directors (service/FOO/PM).	





7.10 24x7 monitoring and helpdesk for the SERVICE must be provided by the BIDDER.	
8 <b>SITE ACCESS (Wi-Fi) CMS.</b> Instances of this CMS shall be capable of providing Wi-Fi access service as specified for each Site in "Annex D: Wi-Fi CMS Instances".	
8.1. The ICT Office shall provide the list of Mandatory and Non-Mandatory (predetermined) Sites. The Bid Offer shall comprise of the Required Total Sites (Mandatory +Non-Mandatory Sites) as stated in Annex D. In the event that the Bidder cannot connect a Mandatory Site beyond its control, the substitution for the Mandatory Site shall only be from the predetermined Non-Mandatory Site which shall be of equivalent Bandwidth AND User Capacity.	
8.2. The List of Required Total Sites shall be final prior to the execution of the Contract.	
8.3. All instances of this CMS shall provide the following sub-services:	
8.3.1. <u>WI-FI ACCESS SUB-SERVICE.</u> This sub-service shall use a single uniform SSID (Service Set ID) that shall default to "PHFreeWiFi", and shall be provided through Wi-Fi Access Point (AP) equipment having the following characteristics, capacities and/or capabilities:	
8.3.1.1. Has a factory programmed MAC address that is permanent and not field modifiable;	
8.3.1.2. Provides Next Generation Hotspot (NGH) Passpoint™ (Release 1 or higher) services (refer to the Wi-Fi Alliance website); (802.11u-2011, 802.11i, 802.1X w/ EAP-SIM) at all locations;	
8.3.1.3. Provides Wi-Fi CERTIFIED™ B, G, and N service, with 40 MHz operation in 2.4 GHz, with coexistence mechanisms in the 2.4 GHz band for sites. In addition, provides operation in 5 GHz for locations with a specified capacity of twenty five (25) or more concurrent users;	
8.3.1.4. Provides 802.1X-RADIUS services supporting at least: EAP-TLS, EAP-TTLS/MSCHAPv2, PEAPv0/EAP-MSCHAPv2;	



	8.3.1.5. Capable of EoGRE or SNMP v1c or higher;	
	8.3.1.6. Capable of implementing the Fair Usage Policy	
	8.3.1.7. Provides performance metrics as specified by ICT OFFICE;	
	8.3.1.8. Ability to detect channel interference and adjust accordingly and automatically to maintain the quality of user experience;	
	8.3.1.9. Provides AP isolation or similar that prevents client devices connected to same AP from communicating directly with one another; and,	
	8.3.1.10. Are of the same brand and product line.	
	8.3.1.11. Must be provided by among those certified by ISO 9001, TL 9000 and ISO 14001	
8.4.	<u>SIGNAGE.</u> Each site shall be provided a weatherproof sign, no less than A1 in size of print, compliant to the Communications Standards and Protocols to be prescribed by the ICT OFFICE that shall bare the contact information to be provided by the ICT OFFICE.	
8.5.	<u>CONNECTIVITY SERVICE HOSTING SUB-SERVICES.</u> These sub-services provide hosting of terminal equipment for IPTS-C/MC/R service providers, and shall have the following characteristics, capacities and/or capabilities:	
	8.5.1. Provides at least 4U of EIA-310 ("19") rack space, or the equivalent thereof; and,	
	8.5.2. Provides up to 100 watts of 220 VAC utility electricity;	
8.6.	<u>UNINTERRUPTIBLE POWER SUPPLY SUB-SERVICE.</u> This sub-service shall be made available at all locations with a User Capacity greater or equal to ten (10), and shall provide 220 VAC electric power with a power capacity of 100 watts, and an additional 100 W per 100 concurrent user, sustainable for 1 hour.	
8.7.	<u>AVAILABILITY.</u> These services shall be made available on 24-hour basis at:	
	8.7.1. 97.9% for a Wi-Fi CMS terminating at a PoP;	
	8.7.2. 95.8% for a Wi-Fi CMS terminating at a mPoP CMS within the town proper boundary; and,	
	8.7.3. 91.6% for a Wi-Fi CMS terminating at an mPoP	



	CMS outside the town proper boundary.	
8.8.	<p><b>LOCATIONS, FACILITIES AND UTILITIES.</b> These services shall be implemented within the premises, or in the immediate vicinity of, the ICT OFFICE or a partner public institution designated by the ICT OFFICE, or in public space such as on a sidewalk, or on utility facilities such an electric pole, and shall have the following characteristics, capacities and/or capabilities:</p>	
	8.8.1. Contained within no more than one (1) cubic meter per 100 concurrent user capacity, unless authorized by prior agreement;	
	8.8.2. Have a total power requirement of not exceeding 125% of the capacity of the Uninterruptible Power Supply Sub-Service; and,	
	8.8.3. Complies with the section below entitled <b>"GENERAL REQUIREMENT ON THE USE OF FACILITIES AND UTILITIES"</b> .	
8.9.	<p><b>FINAL TESTING &amp; ACCEPTANCE (FTA).</b> FTA for an instance of these services will be performed only after connectivity between the instance and the Core Service has been established. It is only upon completion of the FTA that a Certificate of Final Acceptance approved by the Head of the ICT Office will be issued to mark the commencement of the billing period.</p>	
9.	<b>OPTIONAL ADD-ON SERVICES</b>	
9.1.	<p><b>SITE AUXILIARY CONNECTIVITY ADD-ON SERVICE.</b> This add-on service shall be made available at the locations indicated in the Annex D, and optional as requested by the ICT OFFICE, and shall provide the appropriate backhaul connectivity from a site to its specified upstream termination point. The capacity of the connectivity shall be equal or better than that specified for each site, but may be lower with corresponding Monthly Service Fee (MSF) adjustments and subject to the approval of the ICT OFFICE;</p>	
	9.1.1. Subcontracting shall be allowed;	
	9.1.2. Wireless solutions may be used, provided that such shall not be used for non-public-sector purposes outside the scope of the PROJECT. Spectrum usage fees and radio station license fees for wireless links as specified by the NTC shall be borne by the ICT OFFICE provided these	



<p>links are not carrying commercial traffic and utilized exclusively for this PROJECT. Solutions may use any wireless technology, including but not limited to <b>TV White Space (TVWS) technologies</b>;</p>	
<p>9.1.3. TVWS technologies using the VHF TV bands may be used, subject to issuance of the corresponding Memorandum Circular to be issued by the National Telecommunications Commission, and/or guidelines to be issued by the ICT OFFICE; and,</p>	
<p>9.1.4. TVWS technologies using the UHF TV bands may also be used on a <b>PILOT BASIS</b> in the broadcast service areas that do <u>not</u> include Metro Manila, Metro Cebu and Metro Davao, subject to the approval of the ICT OFFICE;</p>	
<p>9.2. <u>mPoP AUXILIARY (SOLAR) POWER ADD-ON SERVICE.</u> This add-on service shall be made available at the locations indicated in the Annex, and optionally as requested by the ICT OFFICE, and shall provide 220 VAC electric power with a power capacity of 500 watts, and an additional 100 W per 100 concurrent user capacity, sustainable for 12 hours; and,</p>	
<p>9.3. <u>Wi-Fi AUXILIARY (SOLAR) POWER ADD-ON SERVICE.</u> This add-on service shall be made available at the locations indicated in the Annex, and optionally as requested by the ICT OFFICE, and shall provide 220 VAC electric power with a base power capacity of 100 watts, and an additional 100 W per 100 concurrent user capacity, sustainable for 12 hours.</p>	
<p><b>10. GENERAL REQUIREMENT ON THE USE OF FACILITIES AND UTILITIES</b></p>	
<p>10.1. Facilities and premises of the ICT OFFICE and its partner institutions shall be made available on an "AS-IS" basis, with no explicit or implied guarantees, unless explicitly stated, or given by prior written agreement(s);</p>	
<p>10.1.1. In cases where indoor installation at a designated location will be necessary, the SERVICE shall be responsible for all necessary coordination with the designated location, with when necessary, with reasonable assistance from the ICT OFFICE and/or its partner institutions;</p>	
<p>10.2. All CMS instances in System Levels 1-3 shall have a separate,</p>	



duly certified, electric meter, subject to requirements of the ICT OFFICE and/or its partner institutions;	
10.3. Electricity and rent shall be charged once a CMS instance will be used to provide services to non-public sector parties.	
10.4. Electricity consumptions at System Levels 1-3 shall be charged based on an actual consumption measured less a baseline consumption established prior to the start of commercial service, and the actual electric utility bill of the host institution;	
10.4.1. Electricity consumptions at Level 4 shall contracted with the supplying institution, which may be by the methodology given previous utilizing an electric meter, or by an agreed upon flat monthly rate; and,	
10.4.2. Rent shall be charged on a per location basis according to prevailing government regulations.	
10.5. The SERVICE shall be responsible for any necessary permits and other contractual arrangements required, with reasonable assistance from the ICT OFFICE and/or its partner institutions;	
<b>11. OTHER TECHNICAL REQUIREMENTS</b>	
11.1. The BIDDER shall conduct Interoperability Testing (IOT) with the SMA 1 Part 1 Service Provider to ensure all functionalities will be working as intended and purposed by ICT OFFICE for this project. All costs incurred for the IOT will be borne by the BIDDER. This will be done during the Post Qualification process. See Annex E "Interoperability Testing Procedure".	
11.2. The SERVICE shall provide periodic forecast percentage of completion targets, detailed plans, implement and monitor key progress indicators for all related service deliveries & provisions;	
11.3. The SERVICE shall monitor and provide a proactive solution against DDOS attacks, MAC flooding, ARP spoofing, DNS Cache poisoning, malware-infected sites and other malicious threats transiting through the PROJECT's network; and,	
11.4. The SERVICE may implement any of the services/sub-services using the domestic public cloud provided all service requirements will be met, and <u>any traffic required for the use thereof</u> shall be to the account of the BIDDER.	
<b>12. SUPPORT SERVICES</b>	
12.1. The SERVICE shall coordinate with, and capacitate if necessary, the ICT OFFICE and the SMA1B Service Provider, in the use of the web-based HELPDESK, the configuration and content provisioning of the CAPTURE PORTAL, and/or other services/sub-service which involve personnel of ICT OFFICE or	




its partners; and,	
12.2. The SERVICE shall provide a fault escalation procedure to ICT OFFICE in case of downtime, and make available specific name(s), e-mail address(es), landline(s) and mobile number(s).	
<b>13. CHARGING AND REBATES</b>	
13.1. Charging shall be made on a monthly basis and shall start upon acceptance of the said CMS instance.	
13.2. Computation of Allowable Downtime and Liquidated Damages	
13.2.1. Computation of Allowable Downtime shall be based on a 24-hour 7 days a week (24x7) work week.	
13.2.2. Computation of Liquidated Damages shall also be based on a 24-hour 7 days a week (24x7) work week and shall be deducted from the WINNING BIDDER's monthly subscription costs for every violation incurred. Computation shall be as follows: <b>DAILY LIQUIDATED DAMAGES COST (DLDC)</b> <b>= 12 * MONTHLY SUBSCRIPTION COST / 365 DAYS</b>	
13.2.3. Downtime or outages at fault by the SERVICE will have a corresponding rebate.	
13.2.4.1. For <b>mission-critical</b> CMS instances or sub-services, a rebate equal to the 1-day penalty of DLDC shall be credited to the ICT OFFICE for each day of failure;	
13.2.4.2. For <b>non-mission-critical</b> CMS instances or sub-services, a rebate equal to the 1/20 of a 1-day penalty of DLDC shall be credited to the ICT OFFICE for each day of failure;	
13.2.4.3. A sample computation should be provided; and,	
13.2.4.4. The computation of rebates should be transparent to the ICT OFFICE.	
13.3. The Monthly Billing Statement shall cover the first day of Service until the thirtieth day of the month and subscription for any fraction of a month shall not be billed for the full month. Pro-rated bill.	
<b>14. OTHER REQUIREMENTS</b>	
14.1. <u>Full Disclosure.</u> The SERVICE shall provide all technical information and	



<p>access as may be required by the ICT OFFICE to 1) appropriately determine compliance to the specifications (e.g. redundancy, failover, etc.) of this tender; and, 2) monitor the operations and performance of CMS instances and their sub-services. Full disclosure shall also include, when applicable, all technical information and actual usage by all other tenants;</p>	
<p>14.2. <u>Open and Fair Access.</u> Access to the SERVICE or any CMS instance, in part or whole, by 3rd parties, particularly cache content providers and consumers, shall be non-discriminatory on a first-come first-served actual usage basis, subject to the approval and periodic review of the ICT OFFICE. Per Unit Charges shall be uniform for all tenants and shall not exceed those offered to the ICT OFFICE under this tender;</p>	
<p>14.3. <u>Without Interest in Connectivity Services.</u> To ensure checks and balances shall be in place, a BIDDER shall submit a sworn affidavit that it has no interest and/or participation, direct or indirect, in any of the connectivity services provisioned under the PROJECT, including but not limited to, IPTI, IPTD, IPTM, which the SERVICE shall be tasked to monitor and enforce the SLR agreements of those services.</p>	
<p>14.4. <u>Franchise Requirements.</u> Non-franchise holders may participate in this tender but without prejudice to other legal requirements, particularly with respect to the provisioning of commercial services outside the PROJECT;</p>	
<p>14.5. <u>Installations Costs and Other One Time Charges (OTC).</u> All OTCs, including but not limited to, installation costs and other fees, should be factored into the MSF; and,</p>	
<p>14.6. <u>Taxes &amp; Other Fees.</u> All proposals shall be inclusive of all taxes.</p>	
<p><b>15. OTHER MATTERS</b></p>	
<p>15.1. Ocular inspection of related facilities is recommended. Please coordinate with Project Manager Eric Toledo (eric.toledo@icto.dost.gov.ph) or Director Philip Varilla (philip.varilla@icto.dost.gov.ph) for the site survey schedule and permits.</p>	

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid





evaluation or post-qualifications, the same shall give rise to automatic disqualification of our bid.

_____	_____	_____
Name of Company	Signature Over Printed Name Of Authorized Representative	Date

**Note: Annexes specified in this Technical Specifications shall be referred to in another document.**



(Bidder's Company Letterhead)

**Procurement of Two (2) Lots of System Management and Access Services**

**BAC4FREEWIFI-2016-05-008**

**REVISED TECHNICAL SPECIFICATIONS  
AS OF 2 JUNE 2016**

**INSTRUCTION TO THE SUPPLIER:** Indicate **"COMPLY"** per line number under **Bidder's Statement of Compliance** if Bidder can meet the technical specifications and project requirements. **DO NOT LEAVE ANY BLANK. A "YES" or "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".**

**LOT 2: Procurement of System Management and Access 2 (SMA2) Service**

MINIMUM SPECIFICATIONS	STATEMENT OF COMPLIANCE
<b>1. GENERAL DESCRIPTION</b>	
1.1. The Free Wi-Fi Internet Access in Public Places project, the "PROJECT", of the DOST ICT Office aims to provide as a free public service Wi-Fi Internet access at select public places across the country. From 2016, the PROJECT is expanded in scope and now aims to cover municipalities in <u>all</u> Income Classes;	
1.2. This tender is for the supply of the "Phase 2 System Management & Access (SMA2) Service", (the <b>SERVICE</b> ), that is composed of <u>interdependent</u> <b>Component Managed Services (CMS)</b> , with <u>multiple instances</u> of them at <u>various locations</u> .	
1.2.1. The PROJECT's earlier tender for the SMA Service shall herein be considered the "Phase 1 SMA (SMA1) Service";	
1.3. The SERVICE shall be necessarily interoperable and compatible with the SMA1 Service at no cost to ICT Office; Interoperability, as defined by the ability of two or more networks, systems, devices, applications or components to exchange information between them and to use the information so exchanged, requires such as but	



not limited to:	1. synchronization of deployed Authentication Authorization and Accounting (AAA) services including implementation of SMA1 defined attributes, 2. IPTI and IPTD routing and interface standards/protocols, and 3. DNS and other necessary services.	
1.4.	The SERVICE shall be composed of five (5) CMS: 1) Operations Management; 2) Core; 3) Point of Presence (PoP); 4) Municipal Point of Presence (mPoP); and 5) Site Access (Wi-Fi). The PoP CMS, mPoP CMS, and Wi-Fi CMS shall have multiple instances.	
1.5.	To aid BIDDERS, the following annexes are provided:	
	1.5.1. ANNEX A: System Service Stack Overview	
	1.5.2. ANNEX B.1: System Abstract Link Diagram	
	1.5.3. ANNEX B.2: Typical Link Diagram for Sites in Metro Manila	
	1.5.4. ANNEX B.3: Typical Link Diagram for Site in a PoPs	
	1.5.5. ANNEX C: General Schedule Diagram	
	1.5.6. ANNEX D.1: Core CMS Instance	
	1.5.7. ANNEX D.2: Point of Presence (PoP) CMS Instances	
	1.5.8. ANNEX D.3: Municipal PoP (mPoP) CMS Instances	
	1.5.9. ANNEX D.4: Site Access (Wi-Fi) CMS Instances	
	1.5.9.1. ANNEX D.4.1. Site Access (Wi-Fi) CMS Instances – Summary	
	1.5.9.2. ANNEX D.4.2. Site Access (Wi-Fi) CMS Instances – List of Mandatory Sites	
	1.5.9.3. ANNEX D.4.3. Site Access (Wi-Fi) CMS Instances – List of Non-Mandatory Sites	
	1.5.10. ANNEX F: Sample Captive Portal and Landing Page	
	An electronic workbook containing the raw data from which the Annexes D.1 – D.4 were generated will also be available on the ICT OFFICE website to aid bidders. In case of any discrepancies, the digitally signed data contained herein, including the annexes, shall be considered authoritative.	
1.6.	This tender is composed of <b>one (1) lot</b> for itemized subscriptions to CMS instances;	
1.7.	The Mode of Procurement for this Project is Public Bidding.	
1.8.	The Nature of the Procurement is Services.	
2.	<b>APPROVED BUDGET FOR THE CONTRACT (ABC).</b> The	



Approved Budget for the Contract (ABC) for service under this tender is **PESOS: THREE HUNDRED AND SEVENTY FIVE MILLION FIVE HUNDRED AND THIRTY-EIGHT THOUSAND SEVEN HUNDRED AND SEVENTY-NINE (PHP375,538,779.00)**

**Table 1**

No.	Component Managed Service (CMS)	# CMS Instances	Monthly Service Fee, PhP (MSF)	Sub-Total ABC, PhP (12 x MSF)
1	Operations Management	1	117,500.00	1,410,000.00
2	Core	1	227,500.00	2,730,000.00
3	Point of Presence (PoP)	18	21,916.67	4,734,000.00
4	Municipal Point of Presence (mPoP)	495 sites*	8,386.67*	49,797,000.00
5	Site Access (Wi-Fi)	5488 sites*	varies, see below Table 2	136,163,750.00
-	Site Auxiliary Connectivity Service Add-On Option	19309 mbps*	varies, see below Table 3	179,825,300.00
-	mPoP/Wi-Fi Auxiliary Power Add-On Option	363**	varies, see below Table 4	2,461,800.00
Total ABC				<b>377,121,850.00</b>

\* Maximum number of instances

**Table 2: Site Access (Wi-Fi)**

No.	Wi-Fi CMS Concurrent User Capacity	# CMS Instances	Monthly Service Fee, PhP	Sub-Total ABC, PhP (12 x MSF)
-----	------------------------------------	-----------------	--------------------------	-------------------------------

			(MSF)	
5a	1 - 50 users	4,305	2,217.00	114,556,050.00
5b	51 - 100 users	406	1025.00	4,993,800.00
5c	101 - 200 users	583	757.08	5,305,300.00
5d	201 - 400 users	174	4,950.00	10,335,600.00
5e	401 - 600 users	10	4,675.00	561,000.00
5f	601 - 800 users	10	3,433.00	412,000.00
Sub Total ABC				<b>136,163,750.00</b>

2.1. While ICTO provisioned site connectivity, or that provided by a partner public institution, will in some cases be available, it can be expected that many sites shall not have the necessary connectivity available. At such sites, auxiliary connectivity add-on services shall be required as indicated in the Annexes and summarized as follows:

**Table 3: Site Auxiliary Connectivity Service Add-On Option**

No.	Wi-Fi CMS Auxiliary Connectivity Add-On Option Concurrent User Capacity	Total mbps per Income Class	Monthly Service Fee, PhP (MSF), per mbps	Sub-Total ABC, PhP (12 x MSF)
5*a	Class 1 City Connectivity	352	925.00	3,907,200.00
5*b	Class 2 City Connectivity	7	975.00	81,900.00

5*c	Class 3 City Connectivity	164	1033.33	2,033,600.00
5*d	Class 1 Municipality Connectivity	14,036	758.33	127,727,600.00
5*e	Class 2 Municipality Connectivity	4,750	808.33	46,075,000.00
Sub Total ABC				<b>179,825,300.00</b>

2.2. Some mPoP and Wi-Fi CMS instances will be located where utility electricity will not be available or will only be intermittently available. At such locations, auxiliary (alternative) power add-on services shall be required as indicated in the Annexes and summarized as follows:

**Table 4: mPoP/Wi-Fi Auxiliary Power Add-On Option**

No.	mPoP/Wi-Fi CMS Auxiliary Power Add-On Option	# CMS Instances w/ Option	Monthly Service Fee (MSF)	Sub-Total ABC (12 x MSF)
5*d	mPoP-Pwr, 500 watts	44	1,100.00	580,800.00
5*e	mPoP-Pwr, 600 watts	17	1,258.33	256,700.00
5*f	mPoP-Pwr, 700 watts	19	2,283.33	520,600.00
5*g	WiFi-Power, 100 watts	283	325.00	1,103,700.00
Sub Total ABC				<b>2,461,800.00</b>

2.3. The above add-on service options should not be considered as separate sub-services but rather as integral to the corresponding mPoP or Wi-Fi CMS instances specified. The



<p>ICT OFFICE reserves the right to decline deployment of an add-on service option in case it is later determined that an option is no longer necessary, or to deploy the add-on option at another site where it is found necessary.</p>	
<p>2.4. BIDDERS should note that the ABC has been computed with the assumption that the ICT OFFICE would be considered at most as the <i>anchor tenant</i> that would only provide "breakeven" revenue. The tender however has been designed so that the provider could share the facilities and services with other tenants, while meeting the ICT OFFICE's requirements under this tender.</p>	
<p>2.5. Use of any or all data generated by this Project, shall be subject to the prior written approval of the Head of ICT Office, and other pertinent government rules and regulations.</p>	
<p>2.6. Information shared, transmitted and provided to between the Supplier and ICT Office shall not be disclosed to any third party</p>	
<p>2.7. The captive portal is controlled and its contents determined by the ICT Office. However, the landing page created, administered and owned by the BIDDER through which the monetization aspect of the SERVICE is to be carried out, shall be operated under the following conditions:</p>	
<p>2.7.1. The landing page is private in nature, and for which reason, the BIDDER shall be solely responsible for its contents, and any liability or obligation arising there from is understood to be its own, and ICT Office, its officials, agents and employees shall be free from all such liabilities and claims for damages and/or suits.</p>	
<p>2.7.2. BIDDER shall insure that the landing page shall be of such nature, form and design that it shall be of value to the end user or the general public, and any content which shall be offensive or contrary to law, morals and public policy must not be allowed and the same is strictly prohibited.</p>	
<p>2.8. A sample diagram and illustration of the design and ownership of the captive portal and the landing page is attached hereto as Annex F.</p>	
<p>3. <b>PROPOSAL SUBMISSION AND EVALUATION.</b> A BIDDER should submit <u>one proposal</u> that 1) satisfies the specifications and requirements given herein; 2) provides a Monthly Service Fee (MSF) value for each CMS given above; and 3) results in a total <b>BID PRICE</b>, equal to the MSF of each CMS multiplied by</p>	



<p>the maximum number of instances thereof that does not exceed the <b>ABC</b>;</p>	
<p>3.1. PROPOSALS shall be submitted using the form provided and shall include the MSF of each CMS listed.</p>	
<p><b>4. DURATION AND EFFECTIVITY OF CONTRACT(S)</b></p>	
<p>4.1. CMS instances shall be <u>individually</u> contracted, under its Master Agreement, for <b>TWELVE (12) months</b> of service and can be extended while being subjected for government procurement process;</p>	
<p>4.2. The contract for a CMS instance shall start from the issuance of the Certificate of Acceptance and shall remain in effect until such a time that 12 * 365 / 12 days of service shall have been received; and</p>	
<p><b>5. DELIVERY.</b> CMS instances shall be made available as follows:</p>	
<p>5.1. Within <b>SIXTY (60) DAYS</b> from the NTP: 1) all <b>mission-critical</b> components of the Operations Management CMS; 2) Core CMS; 3) PoP CMS instances in Dagupan City, Batangas City, Mabalacat City, Cebu City, Cotabato City, Zamboanga City and Davao City;</p>	
<p>5.2. Within <b>NINETY (90) DAYS</b> from the NTP: all PoP CMS instances in all other locations; and,</p>	
<p>5.3. Within <b>ONE HUNDRED TWENTY (120) DAYS</b> from the NTP: all non-mission-critical components of the Operations Management CMS; and,</p>	
<p>5.4. All mPoP and Wi-Fi CMS instances shall be delivered according to the following schedule, which is given relative to the receipt of the Notice-To-Proceed (NTP) and the availability of the required upstream connectivity (IPTM):</p>	
<p>5.4.1. Within <b>NINETY (90) DAYS</b>, one third (<math>\frac{1}{3}</math>) of all CMS;</p>	
<p>5.4.2. Within <b>ONE HUNDRED TWENTY (120) DAYS</b>, two thirds (<math>\frac{2}{3}</math>) of all CMS; and,</p>	
<p>5.4.3. Within <b>ONE HUNDRED FIFTY (150) DAYS</b>, all CMS.</p>	
<p><b>6. GENERAL REQUIREMENTS</b></p>	
<p>6.1. The SERVICE shall provide for at least 60 million registered users and 120 million registered device IDs, of which 145,000 users/devices can be concurrent at any given time, generating up to 25,000 Mbps of aggregated international and domestic Internet traffic, across up to</p>	



5,362 sites through up to 3,000 service providers.	
6.1.1. The SERVICE shall support the DOST ICT Office central office, its eight (8) Field Operations Offices (FOO) and its eighty-one (81) FOO Provincial Offices (FOO-PO), and up to 5,000 other partner public institutions and service providers of the PROJECT;	
6.2. The SERVICE shall secure an ASN number and use the public Internet IP addresses to be provided by the ICT OFFICE.	
6.3. The SERVICE shall provide management and control access through a Virtual Private Network (VPN) service accessible through the public Internet with a dedicated internal VLAN to all CMS instances at all System Levels;	
6.3.1. VPN access shall use TLS authentication with machine and user digital certificates issued by the National PKI operated by the ICT OFFICE to ensure security and accountability;	
6.3.2. VPN service at System Levels 1 and 2 (i.e. Core and PoPs) shall be considered <b>mission-critical</b> .	
6.4. The SERVICE shall monitor and provide a proactive solution against	
6.4.1. DOS/DDOS Attacks;	
6.4.2. Man-in-the-middle Attacks (including but not limited to SSID spoofing);	
6.4.3. Malwares; and,	
6.4.4. Other malicious threats, working closely with all connectivity providers.	
6.5. The service must be able to provide timely software or firmware updates to mitigate new and emerging threats.	
6.6. The SERVICE shall implement a Fair Usage Policy (FUP) that shall regulate user/device service parameters, including speed (bandwidth), data volume, and connection time, that will vary based on the Registration Level of a user/device, and possibly the time-of-day.	



6.6.1. An initial Fair Usage Policy (FUP) shall be implemented by imposing limits on the amount of data a user will be allowed as follows:

Level	Registration	Data Allocation	
		Daily	Monthly
3	Gov't Digital Certificate	300 MB	3 GB
2	Gov't ID / Passport	100 MB	2 GB
1	Device ID	50 MB	1 GB

These data limits will apply to traffic carried by the Domestic IP Transport (IPTD) Service or the International IP Transport (IPTI) Service of the PROJECT. Data sourced through the GovNet or PREGINET, or from any caches, or from PH OpenIX shall not impact a user's data limit.

The available bandwidth at a site shall be prioritized corresponding to its Registration Level of each users/device as follows:

Level	Registration	User/Device Traffic Priority
3	Gov't Digital Certificate	High
2	Gov't ID / Passport	Medium
1	Device ID	Low

All parameter and limit values given should be considered indicative and may be modified by the ICT OFFICE during actual operations.

7. **OPERATIONS MANAGEMENT CMS.** This CMS shall provide various **mission-critical** and **non-mission-critical** sub-services:

7.1. **QUALITY OF EXPERIENCE (QoE) OPTIMIZATION SUB-SERVICE.** This sub-service shall seek to optimize the Quality of Experience (QoE), to be defined by the ICT OFFICE, within the constraints of the available resources. On a monthly basis, a comprehensive report shall be submitted with all adjusted targets for the following month and the steps that will be taken to achieve those;



<p>7.2. <b>NETWORK OPERATIONS MANAGEMENT SUB-SERVICE.</b> This <b>mission-critical</b> sub-service shall provide web-based real-time multi-user map- and table- based network management services for the entire network, and shall have the following characteristics, capacities and/or capabilities:</p>	
<p>7.2.1. Scope-configurable real-time dashboards and on demand reporting for all activities/traffic across the entire network showing various pertinent Performance Information/Measures/Trends and Fault Management/Tracking, including, but not limited to, compliance to the Service Level Agreement requirements of all PROJECT IP Transport Services;</p>	
<p>7.2.1.1. All metrics must and can be reported on different degrees of granularity such as, but not limited to the following:;</p>	
<p>7.2.1.1.1. per user</p>	
<p>7.2.1.1.2. per access point</p>	
<p>7.2.1.1.3. per beneficiary site</p>	
<p>7.2.1.1.4. per locality</p>	
<p>7.2.1.1.5. per province</p>	
<p>7.2.1.1.6. per region</p>	
<p>7.2.1.1.7. per POP</p>	
<p>7.2.1.1.8. per island group</p>	
<p>7.2.1.1.9. overall network;</p>	
<p>7.2.1.2. Also includes, but not limited to, success rate of captive portal users (i.e. attempts by end-user devices to associate with the SERVICE's access points and monitor if the end-user device were able to utilize the network and generate traffic); and</p>	
<p>7.2.2. Also includes CPU and memory utilization for all network components.</p>	
<p>7.2.3. A service dashboard shall be made publicly accessible via the Internet containing various metrics such as number of online users, total system traffic, QoS metrics, etc. including bandwidth usage, application/traffic usage and average throughput rate. All metrics must and can be reported on different degrees of</p>	



	granularity as specified above.	
7.2.4.	Remote network administration and testing across the entire network with an appropriate configurable multi-user privilege system;	
7.2.5.	Accessible throughout the PROJECT's private IP address space, and the through public Internet through a secure means; and,	
7.2.6.	Uses a cloud-based map service that is also used for public map services (e.g. OpenStreetMap, Google Maps, Bing Maps, etc.) to display network equipment locations specifically access points, with a color coding scheme to indicate access point status.	
7.2.7.	The SERVICE must be able to dump raw data from system and network equipment to a ICT OFFICE server in CSV or other delimited text file format.	
7.2.8.	The SERVICE should be able to detect and report in real-time the location of DOS, DDOS, man-in-the-middle (inc. SSID spoof), rogue access points, malware and hacking attempts within the network.	
7.2.8.1.	The report must specify which specific network element (router, switch or access point) or server (AAA, DNS, cache, DHCP, etc.) was threatened or affected by the malicious threat and the time it was detected.	
7.2.9.	The SERVICE must be able to notify select group of people via email and/or SMS for changes in configuration, access point and network equipment alarms, downtime and restorations.	
7.2.9.1.	The notification must have configurable tiers of severity, e.g. critical, major, minor. For example, notifications for minor items will be sent only to staff. However, notifications for major and critical items will be sent to both engineers and directors (service/FOO/PM).	
7.3.	USER SUPPORT (HELPDESK) SUB-SERVICE. This	



<p><b>mission-critical</b> sub-service shall provide a multi-level web-based user/provider ticketing service that shall also be appropriately accessible through SMS, voice, e-mail and an online web-based forum channels.</p>	
<p>7.3.1. It will also allow multiple third parties to participate in operating the services based on from which site a request is made, from any location within the PROJECT;</p>	
<p>7.4. <u>CONNECTIVITY SLA ENFORCEMENT SUB-SERVICE.</u> This <b>mission-critical</b> sub-service shall provide the ICT OFFICE with a monthly SLA compliance report for all contracted IP transport services across the network; and,</p>	
<p>7.5. <u>SITE MONITORING &amp; TESTING SUB-SERVICE.</u> This sub-service shall provide a custom smartphone application with geolocation information, with source code, that will be provided for use by Site Coordinators and other personnel.</p>	
<p>8. <b>CORE CMS.</b> A single instance of this CMS shall comprise System Level 1 and shall provide network core services (sub-services) able to meet the GENERAL REQUIREMENTS.</p>	
<p>8.1. The CORE CMS instance shall be implemented as a 2-node symmetrical failover cluster, with load balancing, with each node hosted at different locations as given in "Annex D.1: Core CMS Instance".</p>	
<p>8.2. ICT OFFICE shall provide access to two (2) unlit fiber cores, on an AS-IS basis that would form a physical ring between the two (2) nodes.</p>	
<p>8.3. This CMS shall provide the following sub-services:</p>	
<p>8.3.1. <u>ROUTING &amp; SWITCHING SUB-SERVICE.</u> This <b>mission-critical</b> sub-service shall provide general IP traffic handling and management services, and shall have the following characteristics, capacities and/or capabilities:</p>	
<p>8.3.1.1. Four (4) or more 10GbE ports <u>at each node</u>, with RJ-45 handovers, supporting link aggregation in accordance with IEEE 802.1AX (formerly IEEE 802.3ad) and IEEE 802.1aq, for the <b>IPTI Service</b> that will provide the international IP transport services to connect this Core CMS to the offshore Internet;</p>	



<p>8.3.1.2. Four (4) or more 10GbE ports <u>at each node</u>, with RJ-45 handovers, supporting link aggregation in accordance with IEEE 802.1AX (formerly IEEE 802.3ad) and IEEE 802.1aq, for the <b>IPTD Service</b> that will provide the IP transport service to connect the PoP CMS instances;</p>	
<p>8.3.1.3. Twelve (12) or more GigE ports and twenty four (24) or more Fast Ethernet ports <u>at each node</u>, with RJ-45 handovers, supporting link aggregation in accordance with IEEE 802.1AX (formerly IEEE 802.3ad) and IEEE 802.1aq, for the <b>IPTM and/or IPTS services</b> that will provide IP transport services that will provide the IP transport services to connect mPoP and Wi-Fi CMS instances;</p>	
<p>8.3.1.4. Supports IPv4 and native IPv6 traffic (dual stacked), and routing protocols RIP, OSPF, IS-IS, BGP, IPv6 BGP and OSPFv3 protocols; and,</p>	
<p>8.3.1.5. Supports the ITU-T Y.1564/RFC 5357 Two-Way Active Measurement Protocol (TWAMP) on all 10GbE ports, and provides an ITU-T Y.1564/RFC 5357 link testing and monitoring service.</p>	
<p>8.3.1.6. Must be highly resilient with a physical and logical separation of data and control plane, each with dedicated processing units</p>	
<p>8.3.1.7. Must be highly available with both hardware and software redundancy (back-up) easily activated/restored if necessary</p>	
<p>8.3.1.8. Must be ISO 9001, TL 9000 and ISO 14001 certified</p>	
<p>8.3.2. <u>MASTER AUTHENTICATION, AUTHORIZATION AND ACCOUNTING (AAA) SUB-SERVICE</u>. This <b>mission-critical</b> sub-service shall provide master AAA services for all users, providers, and component equipment/services of the PROJECT,</p>	



	and shall have the following characteristics, capacities and/or capabilities:	
8.3.2.1.	A response time that shall not exceed 50 mS at full load conditions;	
8.3.2.2.	Uses open protocol standards, particularly RADIUS and optionally DIAMETER, throughout, and shall interoperate with the AAA services of the Single Sign-On (SSO) service of the iGovPhil Project, and shall be likewise capable of interoperation with other open standard AAA services such as those of Google, Microsoft, Facebook, etc.;	
8.3.2.3.	Detects and/or blocks access to lost, damaged, rouge or tampered Access Points from associating with the PROJECT's network; and,	
8.3.2.4.	Master for all redundant slaves at System Level 2.	
8.3.3.	<u>PH GOVERNMENT PKI VERIFICATION SUB-SERVICE</u> . This <b>mission-critical</b> sub-service shall provide verification services for digital certificates issued by the PH Government Root Certificate Authority (CA) under the Philippine National PKI (PNPKI), and shall have the following characteristics, capacities and/or capabilities:	
8.3.3.1.	Capable of handling at least five hundred 500 verification requests per second;	
8.3.3.2.	Integrates with the existing verification services operated under the Philippine National PKI (PNPKI);	
8.3.3.3.	Uses Certificate Revocation Lists (CRLs) that conform to standards and specifications in RFC 5280 as updated by RFC 6818 published by Internet Engineering Task Force (IETF);	
8.3.3.3.1.	Provides the verifications services through the Online Certificate Status Protocol (OCSP) that	



	conforms to the standards and specifications in RFC 6960 as published by the Internet Engineering Task Force (IETF); and,	
8.3.3.4.	Master for all redundant slaves at System Level 2.	
8.3.4.	<u>MASTER DNS FORWARDER/CACHE (DNS-F/C) SUB-SERVICE</u> . This <b>mission-critical</b> sub-service shall provide DNS forwarding and caching services for all URL references by the system and its users, and shall have the following characteristics, capacities and/or capabilities:	
8.3.4.1.	Prefers the use of root DNS servers peered at PH OpenIX;	
8.3.4.2.	Implements a Whitelist/Blacklist; and,	
8.3.4.3.	Master for all redundant slaves at System Level 2.	
8.3.5.	<u>DHCP SUB-SERVICE</u> . This <b>mission-critical</b> sub-service shall provide private IP address space(s) sufficient to service the required user/device capacities for the PROJECT, and shall have the following characteristics, capacities and/or capabilities:	
8.3.5.1.	All critical components of shall be assigned static IP addresses corresponding to their MAC address; and,	
8.3.5.2.	Master for all redundant slaves at System Level 2.	
8.3.5.2.1.	Alternatively, this service may be provisioned in whole or in part, at the Wi-Fi CMS instances (see Section 8) provided the APs used have built-in DHCP services, so that the DHCP servers at IP Core, PoP, and mPoP will only handover DHCP addresses to the APs and not to the users directly.	
8.3.6.	<u>MASTER CAPTIVE PORTAL (CP-M) SUB-SERVICE</u> . This <b>mission-critical</b> sub-service shall provide	



<p>capture portal services customizable on a per-Site basis with higher levels of groupings such as by municipality, by city, etc. possible, and shall have the following characteristics, capacities and/or capabilities:</p>	
<p>8.3.6.1. Has a landing page response time of no more than 5 seconds under full load conditions;</p>	
<p>8.3.6.2. Has an administrative and management web-based multi-user interface, with an appropriate multi-user privilege system;</p>	
<p>8.3.6.3. Implements a multi-level user registration &amp; login system using the AAA sub-service as follows:</p>	
<p>8.3.6.3.1. <u>Level 1</u>: This will only require the machine ID (MAC address) of a device for a user to gain access after ensuring that the device shall actually be in use by a human through an appropriate method implemented at the Captive Portal greeting page;</p>	
<p>8.3.6.3.2. <u>Level 2</u>: Registrations at this level shall require that a user provide Philippine government issued ID number, or in the case of a foreigner, a valid passport number, through a web-based registration system that would accept all vital information as compliant to the standards and protocols to be prescribed by the ICT OFFICE; 2-factor authentication will required using an e-mail address; the e-mail address and a password defined by the user shall be used for the account which user will may then use on multiple devices; each account will initially be valid for a month upon which the SERVICE</p>	





	with its provided back office system will validate user information with the information gathered from the different National Government Agencies; Account management (e.g. data usage monitoring daily and monthly, change of password) for the user will also be provided; and,	
	8.3.6.3.3. <u>Level 3</u> : A user will be issued a Digital Certificate subject to the requirements of the National Public Key Infrastructure that will be used to gain access to the public service;	
	8.3.6.4. Has a template-based Content Management System (CMS) that allows global customization whose form and content shall be determined by the PROJECT, unless otherwise authorized in writing; CMS must have different degrees permission in drafting, publishing and editing the captive portal;	
	8.3.6.5. Has an end-user concern ticketing and messaging service; and,	
	8.3.6.6. Master for all redundant slaves at System Level 2.	
	8.3.7. <u>MASTER CACHE (CACHE) SUB-SERVICE</u> . This <b>mission-critical</b> sub-service shall include a transparent proxy caching service with a capacity of 4TB per cache per location, and shall have the following characteristics, capacities and/or capabilities:	
	8.3.7.1. Has a web browser display for reporting Cache statistics such as cache hit rate, bandwidth allocation, actual usage, and bandwidth savings graphs/report;	
	8.3.7.2. Shares content with other caches, both internal or external to the	



	SERVICE; and,	
8.3.7.3.	Master for all redundant slaves at System Level 2.	
8.3.8.	<u>NETWORK OPERATIONS CENTER (NOC) SUB-SERVICES.</u> This sub-service this shall be provided through five (5) workstations each with two (2) 32" screens for dashboards and other purposes at the ICT OFFICE Central Office;	
8.3.9.	<u>MONITORING &amp; TESTING SUB-SERVICE.</u> This sub-service shall provide SNMP v1c or higher, LirneAsia, Ookla SpeedTest (server), M-Lab services, as well as, ITU-T Y.1564/RFC 2544 Two-Way Active Measurement Protocol (TWAMP) services for measuring/testing of SLR Agreements with connectivity services;	
8.3.10.	<u>3RD PARTY CACHE HOSTING SUB-SERVICE.</u> This sub-service shall provide server hosting services as may be arranged on a case-by-case basis, and shall have the following characteristics, capacities and/or capabilities:	
8.3.10.1.	Capacity to host 18U of servers with a power capacity of 6 kW.	
8.3.11.	<u>CONNECTIVITY SERVICE HOSTING SUB-SERVICE.</u> This sub-service provides hosting of terminal equipment for connectivity service providers, and shall have the following characteristics, capacities and/or capabilities:	
8.3.11.1.	Provides at least 21U of EIA-310 ("19") rack space; and,	
8.3.11.2.	Provides up to 20A of 220 VAC utility electricity.	
8.3.12.	<u>UNINTERRUPTIBLE POWER SUPPLY SUB-SERVICE.</u> This sub-service shall be made available at all locations, and shall provide 220 VAC electric power with a power capacity of 15 kVA sustainable for 1 hour.	
8.3.13.	<u>AVAILABILITY.</u> Generally, all sub-services shall be made 99.5% available on a 24-hour basis. <b>Mission-critical</b> sub-services shall however be made <b>100% available</b> on a 24-hour basis.	
8.3.13.1.	Failure of a <b>mission-critical</b> sub-service at	



<p>one node shall not be considered as a violation of the SLR provided the failure is mitigated by the other node, and the SERVICE continues to effectively provide the sub-service.</p>	
<p>8.3.14. <u>LOCATIONS, PHYSICAL FACILITIES AND UTILITIES.</u></p>	
<p>8.3.14.1. This service shall be implemented as symmetrical nodes at the following locations:</p>	
<p>8.3.14.1.1. DOST ICT Office, C.P. Garcia Avenue in Diliman, Quezon City; and,</p>	
<p>8.3.14.1.2. DOST ASTI Office, C.P. Garia Avenue in Diliman, Quezon City.</p>	
<p>8.3.14.2. Each node of this sub-service shall have the following characteristics, capacities and/or capabilities:</p>	
<p>8.3.14.2.1. Contained within no more than three (3) EIA-310 (19") racks of standard height (42U), or the equivalent, unless authorized by prior agreement;</p>	
<p>8.3.14.2.2. Have a total power requirement of not exceeding 125% of the capacity of the Uninterruptible Power Supply Sub-Service; and,</p>	
<p>8.3.14.2.3. Complies with the section below entitled "<b>GENERAL REQUIREMENT ON THE USE OF FACILITIES AND UTILITIES</b>".</p>	
<p>9. <b>POINT OF PRESENCE (PoP) CSM.</b> Instances of this CMS shall comprise System Level 2, and shall provide network services (sub-services) and have an instance at each of the eighteen (18) locations as given in "Annex D.2: Point of Presence (PoP) CMS Instances".</p>	
<p>9.1. Each CMS instance shall have the capacity to service at least one eighth (1/8) of the GENERAL REQUIREMENTS, and be implemented at each location as a 2-node symmetrical failover cluster, with load balancing.</p>	



<p>9.2. All instances of this CMS shall provide the following sub-services:</p>	
<p>9.2.1. <u>ROUTING &amp; SWITCHING SUB-SERVICE</u>. This <b>mission-critical</b> sub-service shall provide network routing and switching services, and shall have the following characteristics, capacities and/or capabilities:</p>	
<p>9.2.1.1. Four (4) or more 10GigE ports and Four (4) or more GigE ports with RJ-45 handovers, supporting link aggregation in accordance with IEEE 802.1AX (formerly IEEE 802.3ad) and IEEE 802.1aq, for the IPTD2 Service that will provide the IP transport services to connect to one or more PoP and/or Core CMS instances; and,</p>	
<p>9.2.1.2. Twelve (12) or more GigE ports, and twenty four (24) or more Fast Ethernet or better ports, with RJ-45 handovers, supporting link aggregation in accordance with IEEE 802.1AX (formerly IEEE 802.3ad) and IEEE 802.1aq, for the IPTM and IPTS Services that will provide IP transport services that will provide the IP transport services to connect mPoP and Wi-Fi CMS instances.</p>	
<p>9.2.1.3. Must be highly resilient with a physical and logical separation of data and control plane, each with dedicated processing units</p>	
<p>9.2.1.4. Must be highly available with both hardware and software redundancy (back-up) easily activated/restored if necessary</p>	
<p>9.2.1.5. Must be ISO 9001, TL 9000 and ISO 14001 certified</p>	
<p>9.2.2. <u>SLAVE AAA, DHCP, DNS-F/C, CP, CACHE SUB-SERVICES</u>. These <b>mission-critical</b> sub-services shall provide services that will be slaves to the master services provided by the Core Service. Slave services shall include the AAA, DHCP, DNS-F/C, CP, and CACHE services.</p>	
<p>9.2.3. <u>3RD PARTY CACHE HOSTING SUB-SERVICE</u>. This sub-service shall provide general 3rd party cache/server hosting services, and shall have the following characteristics, capacities and/or capabilities.</p>	



9.2.3.1. Capacity to host 18U of servers with a power capacity of 6 kW.	
9.2.4. <u>NETWORK OPERATIONS CENTER (NOC) SUB-SERVICES.</u> This sub-service this shall be provided through two (2) workstations each with two (2) 32" screens for dashboards and other purposes at each of the eighteen (18) instance of a Point of Presence CMS.	
9.2.5. <u>MONITORING &amp; TESTING SUB-SERVICE.</u> This sub-service provides SNMP v1c or higher, LinerAsia, Ookla SpeedTest (server) and M-Lab services, as well as, ITU-T Y.1564/RFC 2544 Two-Way Active Measurement Protocol (TWAMP) services for measuring/testing SLR Agreements with Site Connectivity services.	
9.2.6. <u>CONNECTIVITY SERVICE HOSTING SUB-SERVICE.</u> This sub-service provides hosting of terminal equipment for connectivity service providers, and shall have the following characteristics, capacities and/or capabilities:	
9.2.6.1. Provides at least 16U of EIA-310 ("19") rack space; and,	
9.2.6.2. Provides up to 20A at 220 VAC utility electricity;	
9.2.7. <u>UNINTERRUPTIBLE POWER SUPPLY SUB-SERVICE.</u> This sub-service shall be made available at all locations, and shall provide 220 VAC electric power with a power capacity of 10 kVA sustainable for 1 hour.	
9.2.8. <u>AVAILABILITY.</u> Generally, all sub-services shall be made 99.5% available on a 24-hour basis. <b>Mission-critical</b> sub-services shall however be made <b>100% available</b> on a 24-hour basis.	
9.2.8.1. Failure of a <b>mission-critical</b> sub-service at one node shall not be considered as a violation of the SLR provided the failure is mitigated by the other node, and the SERVICE continues to effectively provide the sub-service.	
9.2.9. <u>LOCATIONS, FACILITIES AND UTILITIES.</u> This service shall have an instance at each of the locations in the Annex D.2 "Point of Presence (PoP) CMS Locations". Each instance shall have the following characteristics, capacities and/or capabilities:	
9.2.9.1. Contained within no more than three (3) EIA-310 (19") racks of standard height (42U), or the	



	equivalent, unless authorized by prior agreement;	
9.2.9.2.	Have a total power requirement of not exceeding 125% of the capacity of the Uninterruptible Power Supply Sub-Service; and,	
9.2.9.3.	Complies with the section below entitled <b>“GENERAL REQUIREMENT ON THE USE OF FACILITIES AND UTILITIES”</b> .	
10.	<b>MUNICIPAL POINT OF PRESENCE (mPoP) CMS.</b> Instances of this CMS shall comprise System Level 3 and shall be made available at each location as given in “Annex D.3: Municipal Point of Presence (mPoP) CMS Instances”. All instances of this CMS shall provide the following sub-services:	
10.1.	<b>ROUTING &amp; SWITCHING SUB-SERVICE.</b> This sub-service shall provide network core services with the capacity to handle a minimum of 1 Gbps of aggregated backhaul traffic, up to 1 Gbps of aggregated local IP traffic, and shall have the following characteristics, capacities and/or capabilities:	
10.1.1.	Provides two (2) or more GigE/Fast Ethernet ports as appropriate, with RJ-45 handovers, supporting link aggregation in accordance with IEEE 802.1AX (formerly IEEE 802.3ad) and IEEE802.1aq, for the IPTM service that will provide the IP transport services to connect one or more PoP and/or Core CMS instances;	
10.1.2.	Provides twenty (24) or more Fast Ethernet or better ports, with RJ-45 handovers, for the IPTS services that will provide the IP transport services to connect Wi-Fi CMS instances.	
10.1.3.	Must be ISO 9001, TL 9000 and ISO 14001 certified	
10.2.	<b>MONITORING &amp; TESTING SUB-SERVICE.</b> This sub-service provides SNMP v1c or higher, LirneAsia, Ookla SpeedTest (server) services, as well as, ITU-T Y.1564/RFC 2544 Two-Way Active Measurement Protocol (TWAMP) services for measuring/testing SLR Agreements with connectivity services.	
10.3.	<b>CONNECTIVITY SERVICE HOSTING SUB-SERVICE.</b> This sub-service provides hosting of terminal equipment for connectivity service providers, and shall have the	



	following characteristics, capacities and/or capabilities:	
	10.3.1. Provides at least 8U of EIA-310 ("19") rack space;	
	10.3.2. Provides up to 20A of 220 VAC utility electricity;	
10.4.	<u>UNINTERRUPTIBLE POWER SUPPLY SUB-SERVICE.</u> This sub-service shall be made available at all locations, and shall provide 220 VAC electric power with a power capacity of 500 watts, and an additional 100 W per 100 concurrent user, sustainable for 1 hour.	
10.5.	<u>AVAILABILITY.</u> The SERVICE shall be available at 97.9% on 24-hour basis.	
10.6.	<u>LOCATIONS, FACILITIES AND UTILITIES.</u> These services shall be implemented within the premises of the ICT OFFICE or a partner public institution designated by the ICT OFFICE, or in public space such as on a sidewalk, or on utility facilities such as an electric pole, with the outdoor installation preferred, and shall have the following characteristics, capacities and/or capabilities:	
	10.6.1. Contained within no more than one (1) EIA-310 (19") rack of half (21U) the standard height (42U), or the equivalent, unless authorized by prior agreement;	
	10.6.2. Have a total power requirement of not exceeding 125% of the capacity of the Uninterruptible Power Supply Sub-Service; and,	
	10.6.3. Complies with the section below entitled <b>"GENERAL REQUIREMENT ON THE USE OF FACILITIES AND UTILITIES"</b> .	
10.7.	<u>FINAL TESTING &amp; ACCEPTANCE (FTA).</u> FTA for an instance of these services will be performed only after connectivity between the instance and an instance in each of the higher system levels has been established. It is only upon completion of the FTA that a Certificate of Final Acceptance approved by the Head of the ICT Office will be issued to mark the commencement of the billing period.	
11.	<b>SITE ACCESS (Wi-Fi) CMS.</b> Instances of this CMS shall be capable of providing Wi-Fi access service as specified for each Site in "Annex D.4: Wi-Fi CMS Instances".	
11.1.	The SERVICE shall establish a Site Access CMS instance for each locality at four (4) mandatory sites and at a predetermined number of non-mandatory sites (no less than	





<p>one-tenth of the total number of possible sites for each bandwidth tier or a minimum of one site) specified to terminate at each given termination point (i.e. mPoP, PoP, Core) CMS in the aforementioned Annex.</p>	
<p>11.2. The ICT Office shall provide the list of Mandatory and Non-Mandatory (predetermined) Sites. The Bid Offer shall comprise of the Required Total Sites (Mandatory+Non-Mandatory Sites) as stated in Annex D. In the event that the Bidder cannot connect a Mandatory Site beyond its control, the substitution for the Mandatory Site shall only be from the predetermined Non-Mandatory Site which shall be of equivalent Bandwidth AND User Capacity.</p>	
<p>11.3. The List of Required Total Sites shall be final prior to the execution of the Contract.</p>	
<p>11.4. All instances of this CMS shall provide the following sub-services:</p>	
<p>11.4.1. <u>WI-FI ACCESS SUB-SERVICE</u>. This sub-service shall use a single uniform SSID (Service Set ID) that shall default to "PHFreeWiFi", and shall be provided through Wi-Fi Access Point (AP) equipment having the following characteristics, capacities and/or capabilities:</p>	
<p>11.4.1.1. Has a factory programmed MAC address that is permanent and not field modifiable;</p>	
<p>11.4.1.2. Provides Next Generation Hotspot (NGH) Passpoint™ (Release 1 or higher) services (refer to the Wi-Fi Alliance website); (802.11u-2011, 802.11i, 802.1X w/ EAP-SIM) at all locations;</p>	
<p>11.4.1.3. Provides Wi-Fi CERTIFIED™ 802.11 B, G, and N service, with 40 MHz operation in 2.4 GHz, with coexistence mechanisms in the 2.4 GHz band for sites. In addition, provides 802.11 N operation in 5 GHz for locations with a specified capacity of twenty five (25) or more concurrent users and 802.11 N and AC operation in 5 GHz for locations with a specified capacity of one hundred (100) or more concurrent users;</p>	
<p>11.4.1.4. Provides 802.1X-RADIUS services supporting at least: EAP-TLS, EAP-TTLS/MSCHAPv2,</p>	





PEAPv0/EAP-MSCHAPv2;	
11.4.1.5. Capable of SNMP v1c or higher;	
11.4.1.6. Ability to detect channel interference and adjust accordingly and automatically to maintain the quality of user experience;	
11.4.1.7. Provides AP isolation or similar that prevents client devices connected to same AP from communicating directly with one another; and,	
11.4.1.8. Are of the same brand and product line.	
11.4.1.9. Must be provided by among those certified by ISO 9001, TL 9000 and ISO 14001	
11.4.2. <u>SIGNAGE</u> . Each site shall be provided a weatherproof sign, no less than A1 in size of print, compliant to the Communications Standards and Protocols to be prescribed by the ICT OFFICE that shall bare the contact information to be provided by the ICT OFFICE.	
11.4.3. <u>CONNECTIVITY SERVICE HOSTING SUB-SERVICES</u> . These sub-services provide hosting of terminal equipment for IPTS-C/MC/R service providers, and shall have the following characteristics, capacities and/or capabilities:	
11.4.3.1. Provides at least 4U of EIA-310 ("19") rack space, or the equivalent thereof; and,	
11.4.3.2. Provides up to 100 watts of 220 VAC utility electricity;	
11.4.4. <u>UNINTERRUPTIBLE POWER SUPPLY SUB-SERVICE</u> . This sub-service shall be made available at all locations with a User Capacity greater or equal to ten (10), and shall provide 220 VAC electric power with a power capacity of 100 watts, and an additional 100 W per 100 concurrent user, sustainable for 1 hour.	
11.4.5. <u>AVAILABILITY</u> . These services shall be made available on 24-hour basis at:	
11.4.5.1. 97.9% for a Wi-Fi CMS terminating at a PoP CMS;	
11.4.5.2. 95.8% for a Wi-Fi CMS terminating at a mPoP CMS within the town proper boundary; and,	
11.4.5.3. 91.6% for a Wi-Fi CMS terminating at an	



<p>mPoP CMS outside the town proper boundary.</p>	
<p>11.4.6. <u>LOCATIONS, FACILITIES AND UTILITIES</u>. These services shall be implemented within the premises, or in the immediate vicinity of, the ICT OFFICE or a partner public institution designated by the ICT OFFICE, or in public space such as on a sidewalk, or on utility facilities such an electric pole, and shall have the following characteristics, capacities and/or capabilities:</p>	
<p>11.4.6.1. Contained within no more than one (1) cubic meter per 100 concurrent user capacity, unless authorized by prior agreement;</p>	
<p>11.4.6.2. Have a total power requirement of not exceeding 125% of the capacity of the Uninterruptible Power Supply Sub-Service; and,</p>	
<p>11.4.6.3. Complies with the section below entitled <b>“GENERAL REQUIREMENT ON THE USE OF FACILITIES AND UTILITIES”</b>.</p>	
<p>11.4.7. <u>FINAL TESTING &amp; ACCEPTANCE (FTA)</u>. FTA for an instance of these services will be performed only after connectivity between the instance and the Core Service has been established.</p>	
<p><b>12. OPTIONAL ADD-ON SERVICES</b></p>	
<p>12.1. <u>SITE AUXILIARY CONNECTIVITY ADD-ON SERVICE</u>. This add-on service shall be made available at the locations indicated in the Annex, and optionally as requested by the ICT OFFICE, and shall provide the appropriate backhaul connectivity from a site to its specified upstream termination point. The capacity of the connectivity shall be equal or better than that specified for each site, but may be lower with corresponding MSF adjustments and subject to the approval of the ICT OFFICE;</p>	
<p>12.1.1. Subcontracting shall be allowed; and,</p>	
<p>12.1.2. Wireless solutions may be used, and provided that such shall not be used for non-public-sector purposes outside the scope of the PROJECT. Spectrum usage fees and radio station license fees for wireless links as specified by the NTC</p>	



<p>shall be borne by the ICT OFFICE provided these links are not carrying commercial traffic and utilized exclusively for this PROJECT. Solutions may use any wireless technology, including but not limited to <b>TV White Space (TVWS) technologies.</b></p>	
<p>12.1.2.1. TVWS technologies using the VHF TV bands may be used, subject to issuance of the corresponding Memorandum Circular to be issued by the National Telecommunications Commission, and guidelines to be issued by the ICT OFFICE;</p>	
<p>12.1.2.2. TVWS technologies using the UHF TV bands may also be used on a <b>PILOT BASIS</b> in the broadcast service areas that do <u>not</u> include Metro Manila, Metro Cebu and Metro Davao, subject to the approval of the ICT OFFICE; and,</p>	
<p>12.1.2.3. Other wireless technologies may be used.</p>	
<p>12.2. <u>mPoP AUXILIARY (SOLAR) POWER ADD-ON SERVICE.</u> This add-on service shall be made available at the locations indicated in the Annex, and optionally as requested by the ICT OFFICE, and shall provide 220 VAC electric power with a power capacity of 500 watts, and an additional 100 W per 100 concurrent user capacity, sustainable for 12 hours; and,</p>	
<p>12.3. <u>Wi-Fi AUXILIARY (SOLAR) POWER ADD-ON SERVICE.</u> This add-on service shall be made available at the locations indicated in the Annex, and optionally as requested by the ICT OFFICE, and shall provide 220 VAC electric power with a base power capacity of 100 watts, and an additional 100 W per 100 concurrent user capacity, sustainable for 12 hours.</p>	
<p>13. <b>GENERAL REQUIREMENT ON THE USE OF FACILITIES AND UTILITIES</b></p>	
<p>13.1. Facilities and premises of the ICT OFFICE and its partner institutions shall be made available on an "AS-IS" basis, with no explicit or implied guarantees, unless explicitly stated, or given by prior written agreement(s);</p>	
<p>13.2. In cases where indoor installation at a designated location will be necessary, the SERVICE shall be responsible for all</p>	



	necessary coordination with the designated location, with when necessary, with reasonable assistance from the ICT OFFICE and/or its partner institutions;	
13.3.	All CMS instances in System Levels 1-3 shall have a separate, duly certified, electric meter, subject to requirements of the ICT OFFICE and/or its partner institutions;	
13.4.	Electricity and rent shall be charged once a CMS instance will be used to provide services to non-public sector parties.	
13.5.	Electricity consumptions at System Levels 1-3 shall be charged based on an actual consumption measured less a baseline consumption established prior to the start of commercial service, and the actual electric utility bill of the host institution;	
	13.5.1. Electricity consumptions at Level 4 shall contracted with the supplying institution, which may be by the methodology given previous utilizing an electric meter, or by an agreed upon flat monthly rate; and,	
	13.5.2. Rent shall be charged on a per location basis according to prevailing government regulations.	
13.6.	The SERVICE shall be responsible for any necessary permits and other contractual arrangements required, with reasonable assistance from the ICT OFFICE and/or its partner institutions;	
<b>14.</b>	<b>OTHER TECHNICAL REQUIREMENTS</b>	
14.1.	The SERVICE shall provide periodic forecast percentage of completion targets, detailed plans, implement and monitor key progress indicators for all related service deliveries & provisions;	
14.2.	The SERVICE shall monitor and provide a proactive solution against DDOS attacks, MAC flooding, ARP spoofing, DNS Cache poisoning, malware-infected sites and other malicious threats transiting through the PROJECT's network; and,	
14.3.	The SERVICE may implement any of the services/sub-services using the domestic public cloud provided all service requirements will be met, and <u>any traffic required for the use thereof shall be to the account of the BIDDER.</u>	
<b>15.</b>	<b>SUPPORT SERVICES</b>	



15.1.	The SERVICE shall coordinate with, and capacitate if necessary, the ICT OFFICE, in the use of the web-based HELPDESK, the configuration and content provisioning of the CAPTURE PORTAL, and/or other services/sub-service which involve personnel of ICT OFFICE or its partners; and,	
15.2.	The SERVICE shall provide a fault escalation procedure to ICT OFFICE in case of downtime, and make available specific name(s), e-mail address(es), landline(s) and mobile number(s).	
16.	<b>CHARGING AND REBATES</b>	
16.1.	Charging shall be made on a monthly basis and shall start upon acceptance of the said CMS instance.	
16.2.	Computation of Allowable Downtime and Liquidated Damages	
16.2.1.	Computation of Allowable Downtime shall be based on a 24-hour 7 days a week (24x7) work week.	
16.2.2.	Computation of Liquidated Damages shall also be based on a 24-hour 7 days a week (24x7) work week and shall be deducted from the WINNING BIDDER's monthly subscription costs for every violation incurred. Computation shall be as follows: <b>DAILY LIQUIDATED DAMAGES COST (DLDC) = 12 * MONTHLY SUBSCRIPTION COST / 365 DAYS</b>	
16.2.3.	Downtime or outages at fault by the SERVICE will have a corresponding rebate.	
16.2.3.1.	For <b>mission-critical</b> CMS instances or sub-services, a rebate equal to the 1-day penalty of DLDC shall be credited to the ICT OFFICE for each day of failure;	
16.2.3.2.	For <b>non-mission-critical</b> CMS instances or sub-services, a rebate equal to the 1/20 of a 1-day penalty of DLDC shall be credited to the ICT OFFICE for each day of failure;	
16.2.3.3.	A sample computation should be provided; and,	
16.2.3.4.	The computation of rebates should be	



transparent to the ICT OFFICE.	
16.2.4. The Monthly Billing Statement shall cover the first day of Service until the thirtieth day of the month and subscription for any fraction of a month shall not be billed for the full month. Pro-rated bill.	
<b>17. OTHER REQUIREMENTS</b>	
17.1. <u>Full Disclosure.</u> The SERVICE shall provide all technical information and access as may be required by the ICT OFFICE to 1) appropriately determine compliance to the specifications (e.g. redundancy, failover, etc.) of this tender; and, 2) monitor the operations and performance of CMS instances and their sub-services. Full disclosure shall also include, when applicable, all technical information and actual usage by all other tenants;	
17.2. <u>Open and Fair Access.</u> Access to the SERVICE or any CMS instance, in part or whole, by 3rd parties, particularly cache content providers and consumers, shall be non-discriminatory on a first-come first-served actual usage basis, subject to the approval and periodic review of the ICT OFFICE. Per Unit Charges shall be uniform for all tenants and shall not exceed those offered to the ICT OFFICE under this tender;	
17.3. <u>Without Interest in Connectivity Services.</u> To ensure checks and balances shall be in place, a BIDDER shall submit a sworn affidavit that it has no interest and/or participation, direct or indirect, in any of the connectivity services provisioned under the PROJECT, including but not limited to, IPTI, IPTD and IPTM, which the SERVICE shall be tasked to monitor and enforce the SLR agreements of those services.	
17.4. <u>Franchise Requirements.</u> Non-franchise holders may participate in this tender but without prejudice to other legal requirements, particularly with respect to the provisioning of commercial services outside the PROJECT;	
17.5. <u>Installations Costs and Other One Time Charges (OTC).</u> All OTCs, including but not limited to, installation costs and other fees, should be factored into the MSF; and,	
17.6. <u>Taxes &amp; Other Fees.</u> All proposals shall be inclusive of all taxes.	
<b>18. OTHER MATTERS</b>	



18.1. Ocular inspection of related facilities is recommended. Please coordinate with Project Manager Eric Toledo (eric.toledo@icto.dost.gov.ph) or Director Philip Varilla (philip.varilla@icto.dost.gov.ph) for the site survey schedule and permits.	
--	--

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualifications, the same shall give rise to automatic disqualification of our bid.

_____ Name of Company	_____ Signature Over Printed Name Of Authorized Representative	_____ Date
--------------------------	--	---------------

***Note: Annexes specified in this Technical Specifications shall be referred to in another document***





<b>ICT OFFICE BAC4FREEWIFI</b>		
<b>REVISED CHECKLIST OF REQUIREMENTS FOR BIDDERS AS OF 2 JUNE 2016</b>		
<b>Name of Company</b>	:	
<b>Name of Project</b>	:	<b>Procurement of Two (2) Lots of System Management and Access Services</b>
<b>Bid Reference No.</b>	:	<b>BAC4FREEWIFI-2016-05-008</b>
<b>ABC</b>	:	<b>₱618,842,849.00</b>
Ref. No.	Particulars	
<b>ENVELOPE 1: ELIGIBILITY AND TECHNICAL DOCUMENTS</b>		
<b>ELIGIBILITY DOCUMENTS</b>		
<b>CLASS "A" DOCUMENTS</b>		
12.1	<b>(a.1.) ELIGIBILITY DOCUMENTS</b>	
	i. Registration certificate from the Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives	
	ii. Business/Mayor's permit for 2016 issued by the city or municipality where the principal place of business of the prospective bidder is located	
	iii. Valid and Current Tax Clearance per Executive Order 398, Series of 2005, as finally reviewed and approved by the BIR.	
	iv. Statement of all its Ongoing (including awarded contract/s not yet started, if any) and Completed Contracts within the last three (3) Years, <b>(Annex I)</b>	
	v. Statement of Completed Single Largest Contract from January 2010 up to the day before the deadline for the submission bids of similar in nature equivalent to at least fifty percent (50%) of the ABC Or Statement of At Least Two (2) Completed Contracts of Similar Nature Within the Last Five Years From the Date of Submission and Receipt of Bids, the Aggregate of Which Should be Equivalent to at least Fifty Percent (50%) of the ABC, and the Largest of These Similar Contract Must be Equivalent to at Least Twenty Five Percent (25%) of the ABC for this Project. <b>Revised Annex I-A as of 1 June 2016</b>	
	vi. <b>Copy of 2015 Annual Income Tax Return</b> submitted through <b>BIR's Electronic Filing and Payment System (EFPS)</b> together with the following Audited Financial Statements for 2015 and 2014 (in comparative form or separate reports): a) Copy of Independent Auditor's Report; b) Balance Sheet (Statement of Financial Position); c) Income Statement (Statement of Comprehensive Income); Each of the above statements must have stamped " <b>received</b> " by the Bureau of Internal Revenue (BIR) or its duly accredited and authorized institutions	
	vii. Duly signed Net Financial Contracting Capacity Computation (NFCC) of the lot being bid per <b>Annex II</b> , in accordance with ITB Clause 5.5 NFCC = [(Current Assets minus Current Liabilities) (K)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract to be bid. Where:	





	<p>K: 10 for a contract duration of one year or less, 15 for a contract duration of more than one year up to two years, and 20 for a contract duration of more than two years.</p> <p><b>Notes:</b></p> <ol style="list-style-type: none"> <li><b>The values of the bidder's current assets and current liabilities shall be based on the data submitted to BIR through its Electronic Filing and Payment System.</b></li> <li><b>Value of all outstanding or uncompleted contracts refers those listed in Annex-I.</b></li> <li><b>The detailed computation using the required formula must be shown as provided above.</b></li> </ol>											
<b>CLASS "B" DOCUMENTS (FOR JOINT VENTURE)</b>												
	<p>i. For Joint Ventures, Bidder to submit either:</p> <ol style="list-style-type: none"> <li>Copy of the JOINT VENTURE AGREEMENT (JVA) in case the joint venture is already in existence, or</li> <li>Copy of Protocol / Undertaking of Agreement to Enter into Joint Venture signed by all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. <b>(Annex III)</b></li> </ol> <p><b><u>The JVA or the Protocol/Undertaking of Agreement to Enter into Joint Venture (Annex III) must include/specify the company/partner and the name of the office designated as authorized representative of the Joint Venture.</u></b></p> <p><b>For Joint Venture, the following documents must likewise be submitted:</b></p> <p>For Joint Venture <b>Between Two (2) Local Companies</b>, each partner should submit:</p> <ol style="list-style-type: none"> <li>Registration Certificate from the Securities and Exchange Commission (SEC) for corporations, Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives;</li> <li>Business/Mayor's permit for 2016 issued by the city or municipality where the principal place of business of the prospective bidder is located;</li> <li>Valid and Current Tax Clearance per Executive Order 398, Series of 2005, as finally reviewed and approved by the BIR.</li> </ol>											
	<p><b>For item (iv) to (vii) of the required eligibility documents, submission by any of the Joint Venture partner constitutes compliance.</b></p>											
<b>TECHNICAL DOCUMENTS</b>												
12.1	<p>Bid security shall be issued in favor of the <b>INFORMATION AND COMMUNICATIONS TECHNOLOGY OFFICE (ICT Office) valid at least one hundred twenty (120) days after date of bid opening</b> in any of the following forms:</p> <ol style="list-style-type: none"> <li>BID SECURING DECLARATION per <b>Annex IV</b>; or</li> <li>Cashier's / Manager's Check equivalent to at least 2% of ABC issued by a Local or Universal or Local Commercial Bank.</li> </ol>											
	<table border="1"> <thead> <tr> <th>Lot No.</th> <th>Description</th> <th>Qty</th> <th>ICT Office ABC Total Price</th> <th>Bid Security: Cash, Cashier's / Manager's Check, (2%) (P)</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Lot No.	Description	Qty	ICT Office ABC Total Price	Bid Security: Cash, Cashier's / Manager's Check, (2%) (P)						
Lot No.	Description	Qty	ICT Office ABC Total Price	Bid Security: Cash, Cashier's / Manager's Check, (2%) (P)								

	1	Procurement of System Management and Access 1 Part 2 (SMA1B) Service	1 Lot	243,304,070.00	4,666,081.40																
	2	Procurement of System Management and Access 2 (SMA2) Service	1 Lot	375,538,779.00	7,510,775.58																
12.1	<p>Proof of Authority of the Bidder's authorized representative/s:</p> <p><b>a) FOR SOLE PROPRIETORSHIP (IF OWNER OPTS TO APPOINT A REPRESENTATIVE):</b> Duly notarized Special Power of Attorney</p> <p><b>b) FOR CORPORATIONS, COOPERATIVE OR THE MEMBERS OF THE JOINT VENTURE:</b> Duly notarized Secretary's Certificate evidencing the authority of the designated representative/s.</p> <p><b>c) IN THE CASE OF UNINCORPORATED JOINT VENTURE:</b> Each member shall submit a separate Special Power of Attorney and/or Secretary's Certificate evidencing the authority of the designated representative/s.</p>																				
12.1	Omnibus Sworn Statements using the form prescribed. <b>(Annex V)</b>																				
	a) Authority of the designated representative																				
	b) Non-inclusion of blacklist or under suspension status																				
	c) Authenticity of Submitted Documents																				
	d) Authority to validate Submitted Documents																				
	e) Disclosure of Relations																				
	f) Compliance with existing labor laws and standards																				
	g) Bidder's Responsibility																				
	h) Did not pay any form of consideration																				
	i) Company Official Contact Reference																				
12.1 (b)(xii)	Compliance with the Schedule of Requirements as per Section VI																				
12.1 (b)(xiii)	Compliance with the <b>Revised Technical Specifications as of 1 June 2016</b> as per Section VII																				
<b>ENVELOPE 2: FINANCIAL DOCUMENTS</b>																					
13.1 (a)	<p>Completed and signed <b>Financial Bid Form</b>. Bidder must use, accomplish and submit Financial Bid Form hereto attached as:</p> <table border="1"> <thead> <tr> <th>Annex</th> <th>Lot No.</th> <th>Description</th> <th>Qty</th> <th>ABC P (VAT Inclusive) Total</th> </tr> </thead> <tbody> <tr> <td>VI-A</td> <td>1</td> <td>Procurement of System Management and Access 1 Part 2 (SMA1B) Service</td> <td>1 Lot</td> <td>243,304,070.00</td> </tr> <tr> <td>VI-B</td> <td>2</td> <td>Procurement of System Management and Access 2 (SMA2) Service</td> <td>1 Lot</td> <td>375,538,779.00</td> </tr> </tbody> </table> <p>The ABC is inclusive of VAT. Any proposal with a financial component exceeding the ABC shall not be accepted. Further, the sum of bid for each item indicated in the <b>Detailed Financial Breakdown per Annex VII-A</b> must be equal to the signed and submitted Financial Bid Form per Annex VII.</p>						Annex	Lot No.	Description	Qty	ABC P (VAT Inclusive) Total	VI-A	1	Procurement of System Management and Access 1 Part 2 (SMA1B) Service	1 Lot	243,304,070.00	VI-B	2	Procurement of System Management and Access 2 (SMA2) Service	1 Lot	375,538,779.00
Annex	Lot No.	Description	Qty	ABC P (VAT Inclusive) Total																	
VI-A	1	Procurement of System Management and Access 1 Part 2 (SMA1B) Service	1 Lot	243,304,070.00																	
VI-B	2	Procurement of System Management and Access 2 (SMA2) Service	1 Lot	375,538,779.00																	



Detailed Financial Breakdown per:					
	Annex	Lot No.	Description	Qty	ABC P (VAT Inclusive)
					Total
13.1 (a)	VII-A	1	Procurement of System Management and Access 1 Part 2 (SMA1B) Service	1 Lot	243,304,070.00
	VII-B	2	Procurement of System Management and Access 2 (SMA2) Service	1 Lot	375,538,779.00
13.1 (b)	If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a Certification from the DTI, SEC or CDA to be enclosed pursuant to the Revised IRR of R.A. 9184.				
<b>NOTE:</b>	<b>In case of inconsistency between the Checklist of Requirements for Bidders and the provisions in the Instruction to Bidders/Bid Data Sheet, the Instruction to Bidders/Bid Data Sheet shall prevail</b>				